



BIBLIOGRAPHY

- Aadil, R., Anand, B., Namrata, R., Sandhya, P and Harit, J. (2012), Comparative study of *in-vitro* antioxidant and antidiabetic activity of plant extracts of *Acacia arabica*, *Murraya koeingii*, *Catharanthus roseus* and *Rouwolfia serpentina*, *International Journal of Phytomedicine* 4,4,543- 551.
- Abdel, N.S., Fadia, S.Y and Mohamed, L. A. (2014), Medicinal plants with potential antidiabetic activity and their assessment, *Medicinal and Aromatic Plants*, 3, 1, 1-12.
- Abdel-Raziq, M.S., Fatma, M.A.B and Ahmed, A.G. (2016), Alpha-amylase inhibitory compounds from *Musa cavendishii*, *British Journal of Pharmaceutical Research*, 13, 4, 1-10.
- Abir,N.A.S., John,T.A and Pierre,S.H.(2015), Regulation of liver cell glucose homeostasis by dehydroabietic acid, abietic acid and squalene isolated from balsam fir (*Abies balsamea* (L.) Mill.) a plant of the Eastern James Bay Cree traditional pharmacopeia, *Phytochemistry*, 117,373–379.
- Abu-Zaiton, A.S. (2010), Antidiabetic activity of *Ferula asafetida* extract in normal and alloxan-induced diabetic rats, *Pakistan Journal of Biological Sciences*,13,2,97-100.
- Acharya, S.N., Acharya, K., Paul, S and Basu,S.K. (2011), Antioxidant and antileukemic properties of selected fenugreek (*Trigonella foenum-graecum* L.) genotypes grown in western Canada, *Canadian Journal of Plant Science*, 9, 1, 99-105.
- Adaramoye, O.A., Nwaneri, V.O., Anyanwu, K.C., Farombi, E.O and Emerole, G.O. (2005), Possible anti-atherogenic effect of kolaviron (a *Garcinia kola* seed extract) in hypercholesterolaemic rats, *Clinical and Experimental Pharmacology and Physiology*, 32, (1-2), 40-6.
- Adedosu, O.T., Adeniran, S, A., Adebayo,L.A., Olusegun, K. A and Tolulope, A.O.(2013), Antioxidant and anti-lipidperoxidation potentials of the ethyl acetate and chloroform extracts of *Basella alba* leaves, *Asian Journal of Natural and Applied Sciences*, 2, 20,81-88.
- Adithya, E.S., Mangalanandan,S.L., Paul,H.C and Sasikumar,J.M., (2013), *In vitro* antioxidant, anti-lipid peroxidation activities and HPLC analysis of methanol extracts from bark and stem of *Mahonia leschenaultia takeda*, *Asian Journal of Plant Science and Research*, 3,2,116-126.

- Afrisham, R., Aberomand, M., Ali, G. M., Amir, S and Mostafa, J. (2015), Inhibitory effect of *Heracleum persicum* and *Ziziphus jujubaon* activity of alpha-amylase, *Journal of Botany*, 2015, 1- 8.
- Agarwal, P and Gupta, R. (2016), Alpha-amylase inhibition can treat Diabetes Mellitus, *Research and Reviews Journal of Medical and Health Sciences*, 5, 4, 1-8.
- Agbafor, K.N and Nwachukwu, N. (2011), Phytochemical analysis and antioxidant property of leaf extract of *Vitexdoniana* and *Mucunapruriens*, *Biochemistry Research International*, 1-4.
- Agnieszka, P., Dorota, R., Iren, A., Maciej, J and Stefan, A. (2011), High Glucose concentration affects the oxidant-antioxidant balance in cultured mouse podocytes, *Journal of Cellular Biochemistry*, 112, 1661-72.
- Ahmad, N.K., Rahmat, A.K., Mushtaq, A and Nadia, M. (2015), Role of antioxidant in oxidative stress and Diabetes Mellitus, *Journal of Pharmacognosy and Phytochemistry*, 3, 6, 217-220.
- Ahmed,D., Vikas, K., Amita, V., Girija,S.S and Manju, S. (2015), Antidiabetic, antioxidant, antihyperlipidemic effect of extract of *Euryale ferox salisb* with enhanced histopathology of pancreas, liver and kidney in streptozotocin induced diabetic rats, Springer Plus, 4, 315.
- Ahren, B. (2007), Dipeptidyl peptidase-4 inhibitors: clinical data and clinical implications, *Diabetes Care*, 30, 6, 1344-50.
- Aja, P.M., Ani, O.G., Offor, C.E., Orji U.O and Alum, E.U. (2015), Evaluation of antidiabetic effect and liver enzymes activity of ethanol extract of *Pterocarpus santalinoides* in alloxan induced diabetic albino rats, *Global Journal of Biotechnology and Biochemistry*, 10, 2, 77-83.
- Ajagbonna, O.P., Onifade, K.I and Suleiman, U. (1999), Haematological and biochemical changes in rats given extract of *Calotropis procera*, *Sokoto Journal of Veterinary Sciences*, 1, 36-42.
- Akindede, O.A., Babatunde, A.I., Chinedu, F.M., Samuel, O.A., Oluwasola, C.A and Oluseyi, A.A. (2012), Rat model of food induced non-obessed Type-2 Diabetes Mellitus: comparative pathophysiology and histopathology, *International Journal of Physiology*, 4, 1, 51-58.
- Akomas, S. C., Okafor, A. I and Ijioma, S. N. (2014), Glucose level, haematological parameters and lipid profile in *Ficus sur* treated diabetic rats, *Comprehensive Journal of Agricultural and Biological Science*, 2,1, 5 -11.

- Akshatha, V.J., Nalini, M.S., D Souza, C and Prakash, H.S. (2014), Streptomyces endophytes from antidiabetic medicinal plants of the western ghats inhibit α -amylase and promote glucose uptake, *Letters in Applied Microbiology*, 58, 5, 433–439.
- Alagesan, K., Prem, K.R and Sadasivam, S. (2012), Amylase inhibitors: Potential source of anti-diabetic drug discovery from medicinal plants, *International Journal of Pharmacy and Life Sciences*, 3, 2, 1407-1412.
- Alemzadeh,R.,Holshouser,S., Massey,P and Koontz,J.(2002),Chronic suppression of insulin by diazoxide alters the activities of key enzymes regulating hepatic gluconeogenesis in Zucker rats, *European Journal of Endocrinology* 146,6, 871–879.
- Ali, A., Sabine, M and Nessar, A. (2016), Antiglycation and antioxidant properties of *Momordica charantia*, *PLOS ONE*, 11, 8,1-14.
- Ali, H., Houghton, P.J and Soumyanath, A. (2006), α -amylase inhibitory activity of some Malaysian plants used to treat diabetes; with particular reference to *Phyllanthus amarus*, *Journal of Ethnopharmacology*,107,449-455.
- Allain,C.C., Poon,L.S., Chan, C.S., Richmond, W and Fu, P.C. (1974), Enzymatic determination of total serum cholesterol, *Clinical Chemistry*, 20, 470–475.
- Amaechi,D., Udosen, E.O., Edet, E. E., Asanga, E.E and Mbakwe I. E.(2015), Lipid profile status of streptozotocin induced diabetic rats treated with ethanolic leaf extract of *Solenostemon monostachyus*, *Journal of Medicinal Plants Research*, 9,8, 289-293.
- Amanpreet,K.S., Sonal J.W., Poonam S.T and Sucheta,N.P.(2014), *In vitro* evaluation of antidiabetic activity of leaf and callus extracts of *Costus pictus*, *International Journal of Science and Research*, 3,6, 1622- 1625.
- Ambali, S., Akanbi, D., Igbokwe, N., Shittu, M., Kawu, M and Ayo, J. (2007), Evaluation of subchronic chlorpyrifos poisoning on hematological and serum biochemical changes in mice and protective effect of vitamin C, *Journal of Toxicological Sciences*,32, 2, 111-120.
- American Diabetes Association, (2015), *Standards of Medical Care in Diabetes*.
- American Diabetic Foundation, 2017.
- Amira, K., Aminah, A and Zuhair, A. (2013), Evaluation of bitter melon (*Momordica charantia*) extract administration in the antioxidant and free radical scavenging activities of plasma and liver in male rat, *International Food Research Journal*, 20,1, 319-323.

- Amreen, F., Agrawal, P and Singh, P.P. (2012), Herbal option for diabetes: an overview, *Asian Pacific Journal of Tropical Disease*, S536-S544.
- Amudha, M and Rani, S. (2016), Evaluation of *in vitro* antioxidant potential of *Cordia retusa*, *Indian Journal of Pharmaceutical Sciences*, 78, 1, 80–86.
- Amuthalakshmi, S and Anton, S. A. (2013), *In silico* design of a ligand for DPP IV in Type II Diabetes, *Advances in Biological Research*, 7, 6, 248–252.
- Ananda, P.K., Kumarappan, C.T., Christudas, S and Kalaichelvan, V.K. (2012), Effect of *Biophytum sensitivum* on streptozotocin and nicotinamide induced diabetic rats, *Asian Pacific Journal of Tropical Biomedicine*, 2, 1, 31–35.
- Anil, B. (2016), A review on phytochemicals and their activities, *International Journal of Current Research in Medical Sciences*, 2, 1, 20-28.
- Anilakumar, K.R., Garlapati, P.K and Nallamuthu, I. (2015), Nutritional, pharmacological and medicinal properties of *Momordica charantia*, *International Journal of Nutrition and Food Sciences*, 4, 1, 75-83.
- Anjana, R.M., Pradeepa, R., Deepa, M., Datta, M., Sudha, V and Unnikrishnan, R. (2011), On behalf of the ICMR–INDIAB collaborative study group. Prevalence of diabetes and prediabetes (impaired fasting glucose and or impaired glucose tolerance) in urban and rural India: Phase I results of the Indian Council of Medical Research-India DIABetes (ICMR-INDIAB) study. *Diabetologia*, 54, 3022-7.
- Annamalai, P., Subramaniam, S and Pugalendi, K.V. (2003), Effect of *Casearia esculenta* root extract on blood glucose and plasma antioxidant status in streptozotocin diabetic rats, *Polish Journal of Pharmacology*, 55, 43-49.
- Anupama, V., Narmadha, R., Gopalakrishnan, V.K and Devaki, K. (2012), Enzymatic alteration in the vital organs of streptozotocin diabetic rats treated with aqueous extract of *Erythrina Variegata* bark, *International Journal of Pharmacy and Pharmaceutical Sciences*, 4, 1, 134-147.
- Anusooriya, P., Malarvizhi, D., Gopalakrishnan, V.K and Devaki, K. (2014), Antioxidant and antidiabetic effect of aqueous fruit extract of *Passiflora ligularis* Juss on streptozotocin induced diabetic rats, *International Scholarly Research Notices*, 2014, 1-10.
- Applezweig, N. (1987), Treatment of obesity and diabetes using sapogenins, United States Patent No: 4680289.
- Ariyawansa, K. (2011), Biodiversity in landscape design, Available from URL: <http://dl.lib.mrt.ac.lk/handle/123/1728>.

- Arockiamary, S.N., Nadhiya, K and Vijayalakshmi, K. (2014), Phytochemical screening and antioxidant study of *Ipomoea batatas lam* (sweet potatoes), *International Journal of Biological and Pharmaceutical Research*, 5,7, 566-570.
- Arokiyaraj, S., Balamurugan, R and Augustian, P. (2011), Antihyperglycemic effect of *Hypericum perforatum* ethyl acetate extract on streptozotocin-induced diabetic rats, *Asian Pacific Journal of Tropical Biomedicine*, 1, 5,386–390.
- Arts, I.C and Hollman, P.C. (2005), Polyphenols and disease risk in epidemiologic studies, *American Journal of Clinical Nutrition*, 81, 317-325.
- Arumugam, G., Manjula, P and Paari, N. (2013), A review: antidiabetic medicinal plants used for Diabetes Mellitus, *Journal of Acute Disease*, 2, 3,196-200.
- Arumugam,M.,Kuppusamy,A.,Muthuswamy,U.,Thirumalaisamy,S and Varadharajan, S.(2014), *In silico* approach for alpha-amylase inhibitory activity of diosmetin and galangin, *International Journal of Phytopharmacy*, 4, 5,124-127.
- Arumugam S, Kavimani S, Kadalmani B, Abdul B.A.A., Mohammed, A.A and Mandali, V. R. (2008), Antidiabetic activity of leaf and callus extracts of *Aegle marmelos* in rabbit, *Science Asia*, 34, 317-321.
- Asgar, A. (2013), Antidiabetic potential of phenolic compounds-a review, *International Journal of Food Properties*, 16, 1.
- Asharani,I.V.,Gowtham,M.,Paridhavi, M and Thirumalai, D. (2016), A comprehensive review on folklore antidiabetic plants, *International Journal of Pharmaceutical Sciences Review and Research*, 39,2, 213-215.
- Ashraful, A., Riaz, U., Nusrat, S., Mahbubur, R., Preeti, J and Hasan, M.R. (2015), Beneficial role of bitter melon supplementation in obesity and related complications in metabolic syndrome, *Journal of Lipids*, 2015, 1-18.
- Asif, M. (2015), Chemistry and antioxidant activity of plants containing some phenolic compounds, *Chemistry International*, 1, 35-52.
- Aslan, M., Orhan, N., Orhan. D.D and Ergun, F. (2010), Hypoglycemic activity and antioxidant potential of some medicinal plants traditionally used in Turkey for diabetes, *Journal of Ethnopharmacology*, 128, 2, 384-389.
- Aswar, P. B and Kuchekar, B. S. (2012), Phytochemical, microscopic, antidiabetic, biochemical and histopathological evaluation of *Momordica charantia* fruits, *International Journal of Pharmacy and Pharmaceutical Sciences*, 4,1, 325-331.

- Awah, F. M., Uzoegwu, P. N., Oyugi, J. O., Rutherford, J., Ifeonu, P., Yao, X., Fowke, K. R and Eze, M. O. (2010), Free radical scavenging activity and immunomodulatory effect of *Stachytarpheta angustifolia* leaf extract, *Food Chemistry*, 119,4,1409–1416.
- Ayesha,N.,Gunasekaran,S.,Soosai, M.A and Vijayalakshmi, M.A. (2008), Antidiabetic activity of *Aloe vera* and histology of organs in streptozotocin induced diabetic rats, *Current Science*, 94, 8, 1070-1076.
- Ayyanar, M., Sankarasivaraman, K and Ignacimuthu, S. (2008), Traditional herbal medicines used for the treatment of diabetes among two major groups in south Tamilnadu, India, *Ethnobotanical leaflets*,12, 276-280.
- Babu, B.S., Lakshmi, N. M., Venkanna, B., Kodaparthi, A., Kalyani C.H and Narmada, C.H. (2016), Evaluation of antimicrobial and antioxidative activities of the aerial plant extracts of *Elytraria acaulis*, *International Journal of Current Microbiology and Applied Sciences*, 5, 8, 20-29.
- Bakare, R and Magbagbeola, O. (2010), Nutritional and chemical evaluation of *Momordica charantia*, *Journal of Medicinal Plant Research*, 4, 21, 2189-93.
- Balasubramanian, T., Lal, M.S., Mahananda, S and Chatterjee, T.K. (2009), Antihyperglycaemia and antioxidant activities of medicinal plant *Stereospermum suaveolens* in streptozotocin-induced diabetic rats, *Journal of Dietary Supplements*, 6, 227-251.
- Balasubramanian, T., Senthilkumar, G.P., Karthikeyan, M and Tapan, K.C. (2014), Therapeutic effect of *Stereospermum suavelolens* on diabetic nephropathy, *Journal of Clinical and Experimental Pharmacology*, 4, 5,1-7.
- Bamishaiye, E.I., Olayemi, F.F., Awagu, E.F and Bamshaiye, O.M.(2011), Proximate and phytochemical composition of *Moringa oleifera* leaves at three stages of maturation, *Advance Journal of Food Science and Technology*, 3, 4, 233-237.
- Baquer, N.Z., Gupta, D and Raju, J. (1998), Regulation of metabolic pathways in liver and kidney during experimental diabetes, *Indian Journal of Clinical Biochemistry*, 13, 2, 63–80.
- Baynest, H.W. (2015), Classification pathophysiology, diagnosis and management of Diabetes Mellitus, *Journal of Diabetes and Metabolism*, 6, 5, 1000541.
- Beauchamp, C and Fridovich, I. (1971), Superoxide dismutase: Improved assays and an assay applicable to acrylamide gels, *Analytical Biochemistry*, 44, 276-277.

- Benzie, I.F.F and Strain, J.J. (1996), The ferric reducing ability of plasma (FRAP) as a measure of Antioxidant power the FRAP assay, *Analytical Biochemistry*, 239, 70-76.
- Bernfeld, P. (1955), Amylases α and β , In: Colowick, S.P. and Kaplan, N.O. (eds), *Methods in Enzymology*, Academic Press, New York, 1, 149-158.
- Bharathi ,A., Selvaraj,M.R., Vasavi, C.S., Punnaigai,M., Gayathri,G.A and Gayathri, M. (2014), *In silico* molecular docking and *in vitro* antidiabetic studies of dihydropyrimido (4,5-a)acridin-2-amines, *BioMed Research International*, 2014, 1-10.
- Bhat, M., Kothiwale, S.K., Tirmale, A.R., Bhargava, S.Y and Joshi, B.N. (2011), Antidiabetic properties of *Azadirachta indica* and *Bougainvillea spectabilis*: *In vivo* studies in murine diabetes model, *Evidence-Based Complementary and Alternative Medicine*, 2011, 1-9.
- Bhuiyan, I. H., Kaiser A., Mohammad, F. K., Hosne, M. C., Mohaiminul, I., Ismail, H., Roni,K.N., Nishan, C., Mohammad S. H. K and Kazi,A.A.C, (2016), *In silico* molecular docking studies of some isolated compounds from *Pistia stratiotes* for α -amylase inhibitory activity, *World Journal of Pharmaceutical Research*, 5,12,1240-1247.
- Blois, M.S. (1958), Antioxidant determinations by the use of a stable free radical, *Nature*, 26, 1199-1200.
- Boora, F., Elaine,C and Stanley, M.(2014), Evaluation of nitrite radical scavenging properties of selected Zimbabwean plant extracts and their phytoconstituents, *Journal of Food Processing*, 2014, 1-7.
- Bosenberg, L.H and Zyl, V.D.G. (2008), The mechanism of action of oral antidiabetic drugs: A review of recent literature, *Journal of Endocrinology Metabolism and Diabetes of South Africa*, 13,3, 80-88.
- Bouaziz, A., Khennouf, S., Abdalla, S., Djidel, S., Abu,Z.M., Bentahar. A., Dahamna,S., Baghiani, A and Amira, S. (2014), Phytochemical analysis, antioxidant activity and hypotensive effect of algerian azarole (*Crataegus azarolus* L.) leaves extracts, *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 5,2, 286-305.
- Bouche, C., Serdy, S., Kahn, C.R and Goldfine, A.B. (2004),The cellular fate of glucose and its relevance in Type 2 Diabetes, *Endocrine Reviews*, 25,5, 807-30.
- Brajendra, K.T and Arvind, K.S. (2006), Diabetes Mellitus: Complications and therapeutics, *Medical Science Monitor*, 12, 130-47.

- Brayer, G.D., Luo, Y and Withers, S.G. (1995), The structure of human pancreatic α -amylase at 1.8 Å resolution and comparisons with related enzymes, *Protein Science*, 4, 9, 1730–1742.
- Bukhari, S.B., Muhammad, I.B and Shahabuddin, M. (2008), Antioxidative activity of extracts from fenugreek seeds (*Trigonella foenum-graecum*), *Pakistan Journal of Analytical and Environmental Chemistry*, 9, 2, 78 – 83.
- Buse, J.B., Rosenstock, J., Sesti, G., Schmidt, W.E., Montanya, E., Brett, J.H, Zychma, M and Blonde, L. (2009), Liraglutide once a day versus exenatide twice a day for Type 2 Diabetes: A 26-week randomised, parallel-group, multinational, open-label trial (LEAD 6), *Lancet*, 374, 9683, 39-47.
- Cheng, H.L., Hsin-Kai, H., Chi-I, C., Chung-Pao, T and Chang-Hung, C. (2008), A cell-based screening identifies compounds from the stem of *Momordica charantia* that overcome insulin resistance and activate AMP-activated protein kinase, *Journal of Agricultural and food chemistry*, 56, 6835–6843.
- Chirag, P.J, Satyanand, T., Nirmala, H., Jaya, Y., Sachchidanand, P., Satya, P.S., Ashish, P., Darshan, S.K and Pratap, S. (2013), Antioxidant activity of herbal plants: A recent review, *Journal of Drug Discovery and Therapeutics*, 1, 8, 1- 8.
- Chittama, K.P., Sharada, L.D and Tushar, A.D. (2016), Free radical scavenging activity of plant extracts of *Chlorophytum tuberosum* B, *Scholars Research Library Der Pharmacia Lettre*, 8, 9, 107-111.
- Chizoba, E.F.G., Suneetha, J.W., Uma, M.K., Sucharitha, D.S and Prasad, T.N.V.K.V. (2016), *In vitro* carbohydrate digestibility of copper nanoparticulated bitter melon extract, *Journal of Nutrition and Food Sciences*, 6, 2, 1000482.
- Clark, D. E. (2009), What has virtual screening ever done for drug discovery? *Expert Opinion on Drug Discovery*, 3, 8, 841-51.
- Coates, J. (2000), Interpretation of infrared spectra, a practical approach, In: R. A. Meyers Edition, *Encyclopedia of Analytical Chemistry*, John Wiley and Sons Ltd, Chichester, 10815-10837.
- Condell, R.A and Tappel, A.L. (1983), Evidence for suitability of glutathione peroxidase as a protective enzyme: Studies of oxidative damage, renaturation and proteolysis, *Archives of Biochemistry and Biophysics*, 223, 407-416.
- Cornish-Bowden, A. (1974), A simple graphical method for determining the inhibition constants of mixed, uncompetitive and non-competitive inhibitors, *Biochemical Journal*, 137, 143–144.

- Coskunm, O., Kanter, M., Korkmaz, A and Oter, S. (2005), Quercetin, a flavonoid antioxidant, prevents and protects streptozotocin-induced oxidative stress and beta-cell damage in rat pancreas, *Pharmacological Research*, 51, 2, 117-23.
- Cristina, C., Olivia, D.R and Carmen, S. (2012), Plants and natural compounds with antidiabetic action, *Notulae Botaniacae Horti Agrobotanici Cluj-Napoca*, 40, 1, 314-325.
- Culling, C.F.A. (1979), Handbook of histopathological and histochemical techniques, Third Edition, Butterworths, London.
- Damayanthidevi.I, (2015),Molecular docking analyses of *Cynodon dactylon* derived phytochemicals against white spot syndrome virus (wssv) structural protein vp26, *International Journal of Applied Biology and Pharmaceutical Technology*, 6, 2, 182- 188.
- Das, P and Himaja, M. (2015), Antioxidant, anti-arthritis and hypoglycemic activity of *Oxalis corniculata* Linn leaf extracts, *International Journal of PharmTech Research*, 8,7, 51-57.
- Das, S., Haroled, P.P.L., Lakshmi, B. M., Naresh, P and Ramana, M. V. (2015), Age- and sex-related prevalence and drug utilization pattern in the management of Type 2 Diabetes Mellitus and its co morbidity with cardiovascular diseases: A comparative study, *Indian Journal of Pharmaceutical Sciences* 4,478-484.
- Davey, M.W., Van, M.M., Inze, D., Sanmartin, M., Kanellis, A and Smirnoff, N. (2000), Plant L-ascorbic acid: Chemistry, function, metabolism, bioavailability and effects of processing, *Journal of the Science of Food and Agriculture*, 80, 7, 825-860.
- Deepraj, P and Karthika, P. (2012), Diabetes Mellitus and its complications: A review, *International Journal of Current Pharmaceutical Research*, 4, 2, 12-17.
- Deepthy, M.M.J and Radhamany, P.M. (2016), GC- MS profiling in the fruits of *Tamilnadia Uliginosa* (Retz.) *Tirveng* and *Sastre* (Rubiaceae), *World Journal of Pharmacy and Pharmaceutical Sciences*, 5, 1, 890-896.
- DeFronzo, R.A. (2004), Pathogenesis of Type 2 Diabetes Mellitus, *Medical Clinics of North America*, 88, 4,787-835.
- Deokate, U.A and Khadabadi, S.S. (2011), Pharmacology and phytochemistry of *Coccinia Indica*, *Journal of Pharmacognosy and Phytotherapy*, 3, 11,155-159.
- Devaki, K., Hemmalakshmi, S and Priyanga, S. (2016), Carbohydrate metabolizing enzymes activity in streptozotocin induced diabetic rats treated with aqueous extract of *Erythrina variegata* L bark, *International Journal of Toxicological and Pharmacological Research*, 8, 4, 249-255.

- Devasena, T., Nathiya, S and Durga, M. (2014), Therapeutic role of *Trigonella foenum-graecum* (fenugreek) – A review, *International Journal of Pharmaceutical Sciences Review and Research*, 27, 2, 74-80.
- Dhanwal, D.K., Agarwal, S., Garg, S., Agarwal, P and Singh V. (2014), Clinical and immunological profile of newly diagnosed patients with youth onset Diabetes Mellitus, *Indian Journal of Medical Research*, 140, 356-360.
- Dhivya, A and Sivakumar, R. (2014), Phytochemical analysis and *in vitro* antioxidant potential of *Cordia monoica* (Roxb) leaves, *International Journal of Innovative Pharmaceutical Sciences and Research*, 2, 12, 3001-3014.
- Dhivya, G and Rajasimman, M. (2015), Synthesis of silver nanoparticles using *Momordica charantia* and its applications, *Journal of Chemical and Pharmaceutical Research*, 7, 9, 107-113.
- Diabetes Care, (2016), Classification and diagnosis of diabetes, 39, 1, S13-S 22.
- Diaz-Flores, M., Ibanez-Hernandez, M.A., Galvan, R.E., Gutierrez, M., Duran-Reyes, G and Medina-Navarro, R. (2006), Glucose-6-phosphate dehydrogenase activity and NADPH/ NADP⁺ ratio in liver and pancreas are dependent on the severity of hyperglycemia in rat, *Life Science Journal*, 78, 22, 2601-7.
- Dick, R.M. (2011), Pharmacodynamics: The study of drug action, Chapter 2, *Pharmacology for Nurse Anesthesiology*, Jones and Bartlett Learning.
- Dipesh, R.P., Rauniar G.P and Karishma, R. P. (2015), *Momordica charantia* (Karela): An antidiabetic, *World Journal of Pharmacy and Pharmaceutical Sciences*, 4, 1, 84-99.
- Dixon, M. (1953), The determination of enzyme inhibitor constants, *Biochemical Journal*, 55, 170–171.
- Doss, A and Anand, S.P. (2012), Preliminary phytochemical screening of *Asteracantha longifolia* and *Pergularia daemia*, *World Applied Sciences Journal*, 18, 2, 233-235.
- Durgaprasad, M.K., Anand, K., Ameet, K., Savitri, D.K and Afaq, A. (2016), Oral hypoglycaemic agents in the management of Type II Diabetes Mellitus, *Journal of Evidence Based Medicine and Health care*, 3, 45, 2272- 2282.
- Durgeshnandani, S., Chandraprakash, D., Mehendra, K.D., Rajni. Y., Prakash, S. R., Kunal, C., Shashank, S.S and Amit, R. (2014), Antidiabetic potential of herbal plants and polyherbal formulation, *International Journal of Phytotherapy Research*, 4, 3, 28-49.

- Edwin, J., Siddaaheswar, B.J and Dharam, C.J. (2008), Diabetes and herbal medicines, *Iranian Journal of Pharmacology and Therapeutics*, 7, 1, 97-106.
- El-Abhar, H.S and Schaalán, M.F. (2014), Phytotherapy in diabetes: Review on potential mechanistic perspectives, *World Journal of Diabetes*, 5, 2, 176–197.
- El-Demerdash, F.M., Jebur,A.B and Mokhamer,M.H. (2016), A review on oxidative stress and role of antioxidants in Diabetes Mellitus, *Austin Endocrinology and Diabetes Case Reports*,1,1,1-6.
- Elekofehinti, O.O. (2015), Saponins: Antidiabetic principles from medicinal plants - a review, *Pathophysiology*, 22, 2, 95-103.
- El-Feki, M.A., Radwan, Z.A., AbdelMoneim, A.A and Salah, E.M. (1997), Effect of *Nigella sativa* and fish oil on alloxan diabetic rats: 2- Immunological studies, *Journal of the Egyptian-German Society of Zoology*, 23 (A), 161-186.
- Ellis, H.A and Kirkman, H.N. (1961), A colorimetric method for assay of erythrocyte glucosed-phosphate dehydrogenase, *Proceedings of the Society of Experimental and Biological Medicine*, 106, 607-609.
- Eloff, J.N. (1998), Which extractant should be used for the screening and isolation of antimicrobial components from plants, *Journal of Ethnopharmacology*, 60, 1, 1-8.
- El-Shora ,H.M., El-Farrash, A.H., Kamal, H and Abdelrazek, A. (2015), Influence of gamma radiation on the antioxidant capability of fenugreek, *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 6,5,574- 582.
- Elsner, M., Guldbakke, B., Tiedge, M., Munday, R and Lenzen, S. (2000), Relative importance of transport and alkylation for pancreatic beta-cell toxicity of streptozotocin, *Diabetologia*, 43, 12, 1528-1533.
- Etxeberria, U., de la Garza, A.L., Campion, J., Martínez, J.A and Milagro, F.I. (2012), Antidiabetic effects of natural plant extracts via inhibition of carbohydrate hydrolysis enzymes with emphasis on pancreatic alpha amylase, *Expert Opinion on Therapeutic Targets*, 16,3, 269-97.
- Fabricant, D. S and Farnsworth,N.R. (2001), The value of plants used in traditional medicine for drug discovery, *Environmental Health Perspectives*,109,1, 69–75.
- Fatemeh, T. (2014), Docking studies of inhibitory effect of herbal compounds on human pancreatic alpha- amylase, *Journal of Current Research in Science*, 2, 6, 675-679.
- Fenercioglu, A.K., Saler,T., Genc, E., Sabuncu, H and Altuntas, Y. (2010), The effects of polyphenol-containing antioxidants on oxidative stress and lipid peroxidation in Type 2 Diabetes Mellitus without complications, *Journal of Endocrinological Investigation*,33,118- 124.

- Ferguson, N. M. (1956), Terpenoids, *Text book of Pharmacognosy*, Mac Milan Company, 191.
- Ferreira, L.G., Ricardo, N.D.S., Glaucius, O and Adriano, D.A. (2015), Molecular docking and structure-based drug design strategies, *Molecules*, 20,7, 13384-13421.
- Fidrianny, I., Agun, D and Sukrasno. (2014), Antioxidant capacities from different polarities extracts of cucurbitaceae leaves using FRAP, DPPH assays and correlation with phenolic, flavonoid, carotenoid content, *International Journal of Pharmacy and Pharmaceutical Sciences*, 6, 2, 858-862.
- Fiske, C.H and Subbarow, Y. (1925), The colorimetric determination of phosphorus, *The Journal of Biological Chemistry*, 66, 375-400.
- Frederiks, W. M., Bosch, K.S., De, J.J.S and Van, N.C. J. (2003), Post-translational regulation of glucose-6-phosphate dehydrogenase activity in (pre) neoplastic lesions in rat liver, *Journal of Histochemistry and Cytochemistry*, 51, 1, 105–112.
- Fried, B and Sherma, J. (1994), Thin-layer chromatography: Techniques and applications, *Chromatographic Science Series*, 66, Third Edition, Marcel Dekker, Inc. New York, USA, 451.
- Fujisawa, T., Ikegami, H., Inoue, K., Kawabata, Y and Ogihara, T. (2005), Effect of two α -glucosidase inhibitors, voglibose and acarbose, on postprandial hyperglycemia correlates with subjective abdominal symptoms, *Metabolism*, 54, 387–390.
- Gad, M.Z., El-Sawalhi, M.M., Ismail, M.F and El-Tanbouly, N.D. (2006), Biochemical study of the antidiabetic action of the Egyptian plants: fenugreek and balanites, *Molecular and Cellular Biochemistry*, 281, 2, 173-83.
- Gafrikova, M., Galova, E and Sevcovicova, A. (2014), Extract from *Armoracia rusticana* and its flavonoid components protect human lymphocytes against oxidative damage induced by hydrogen peroxide, *Molecules*, 19, 3, 3160–3172.
- Gancedo, J.M and Gancedo, C. (1971), Fructose-1, 6- diphosphatase, phosphofructokinase and glucose-6- phosphate dehydrogenase, *Proceedings of the Society of Experimental Biology and Medicine*, 106, 607-609.
- Gandhi, G.R and Sasikumar, P. (2012), Antidiabetic effect of *Merremia emarginata* Burm. F in streptozotocin induced diabetic rats, *Asian Pacific Journal of Tropical Biomedicine*, 2, 4, 281–286.
- Ganeshpurkar, A., Varsha-Diwedi, V and Bhardwaj, Y. (2013), *In vitro* α -amylase and α -glucosidase inhibitory potential of *Trigonella foenum-graecum* leaves extract, *Ayu*, 34,1, 109-112.

- Ganie, S. A., Tanveer, A.D., Rabia, H., Ovais, Z., Shayaq, U.A., Akbar, M., Shajrul, A and Mohammad, A. Z. (2014), *In vitro* antioxidant and cytotoxic activities of *Arnebia benthamii* (Wall ex. G. Don): a critically endangered medicinal plant of Kashmir valley, *Oxidative Medicine and Cellular Longevity*, 2014, 1-8.
- Gao, G., Li, Q., Li, Y., Liu, Z., Fan, Y., Liu, Z., Zhao, H., Li, J and Han, Z. (2009), Antidiabetic and antioxidant effects of oleanolic acid from *Ligustrum lucidum* Ait in alloxan-induced diabetic rats, *Phytotherapy Research*, 23,9, 1257-1262.
- Garau, C., Cummings, E., David, A., Phoenix and Jaipaul, S. (2003), Beneficial effect and mechanism of action of *Momordica charantia* in the treatment of Diabetes Mellitus: a mini review, *International Journal of Diabetes and Metabolism*, 11, 46-55.
- Gauresh, S., Rahul, C., Jayant, S and Sadhana, S. (2012), Inhibition of carbohydrate hydrolysing enzymes by methanolic extract of *Couroupita guianensis* leaves, *International Journal of Pharma and Bio Sciences*, 3, 511 – 20.
- Geidam, Y.A., Ambali, A.G and Onyeyli, P.A. (2007), Preliminary phytochemical and antibacterial evaluation of crude aqueous extracts of *Psidium guajava* L leaf. *Journal of Applied Sciences*, 4, 511-4.
- Genta, S.B., Cabrera, W.M., Mercado, M., Grau, A., Catalan, C.A and Sanchez, S.S. (2010), Hypoglycemic activity of leaf organic extracts from *Smallanthus sonchifolius*: Constituents of the most active fractions, *Chemico Biological Interactions*, 185, 2, 143-52.
- Ghosh, S., Bhateja, P., Rani, J and Saini A. (2014), *In vitro* evaluation of antioxidant activity of bitter melon (*Momordica charantia* L.), *International Journal of PharmTech Research*, 6, 4, 1374-1382.
- Gillett, M.J. (2009), International expert committee report on the role of the A1C assay in the diagnosis of diabetes, *Diabetes Care*, 32, 7, 1327-1334.
- Gin, H and Rigalleau, V. (2000), Post-prandial hyperglycemia and Diabetes, *Diabetes and Metabolism*, 26, 4, 265-72.
- Giribabu, N., Kumar, K.E., Rekha, S.S., Muniandy, S and Salleh, N. (2014), *Chlorophytum borivilianum* root extract maintains near normal blood glucose, insulin and lipid profile levels and prevents oxidative stress in the pancreas of streptozotocin-induced adult male diabetic rats, *International Journal of Medical Sciences*, 11, 11, 1172-1184.
- Gokce, G and Haznedaroglu, M.Z. (2008), Evaluation of antidiabetic, antioxidant and vasoprotective effects of *Posidonia oceanica* extract, *Journal of Ethnopharmacology*, 115, 1, 122-30.

- Goncalves, G.D.A., Sa-Nakanishi, A.B.D., Wendt, M.M., Comar, J.F., Bersani, A. C.A., Bracht, A and Peralta, R.M. (2015), Green tea extract improves the oxidative state of the liver and brain in rats with adjuvant-induced arthritis, *Food and Function*, 6, 8, 2701-11.
- Gopalakrishnan, G and Dhanapal, C. K. (2014), Evaluation of *in vivo* antioxidant activity of methanolic extract of *Coleus vettiveroides* Jacob in streptozotocin-induced oxidative stress in rats, *International Journal of Pharmacy and Pharmaceutical Sciences*, 6, 1, 590-592.
- Gopinath, S.M., Priyanka. P., Dayananda K.S., Jagan, M. R., Ashwini, P.G.M and Drishya, V.N. (2013), *In vitro* Inhibitory effect of polyherbal formulation on alpha-amylase, *International Journal of Innovative Research in Science, Engineering and Technology*, 2, 9, 4556- 4566.
- Govindan, P. and Suriyavathana, M. (2013), Evaluation of total phenolic content and free radical scavenging activity of *Boerhavia erecta*, *Journal of Acute Medicine*, 3,3, 103-109.
- Gromiha, M.M., Saraboji, K., Ahmad, S., Ponnuswamy, M.N and Suwa, M. (2004), Role of non-covalent interactions for determining the folding rate of two-state proteins, *Biophysical Chemistry*, 107,3, 263-272.
- Grove, T.H. (1979), Effect of Reagent pH on the determination of high density lipoprotein cholesterol by precipitation with sodium phosphotungstate magnesium, *Clinical Chemistry*, 25, 560- 564.
- Grover, J.K., Vats, V and Yadav, S. (2002), Effect of feeding aqueous extract of *Petrocarpus marsupium* on glycogen content of tissues and the key enzymes of carbohydrate metabolism, *Molecular Cellular Biochemistry*, 241,1,53–59.
- Gulcin I, (2012), Antioxidant activity of food constituents: An overview, *Archives of Toxicology*, 86, 345–391.
- Gupta, A.D., Vikas, P., Gaurav, B., Shilpi, D., Iyer, R.R., and Shyamala, G.K Kumari, (2009) Evaluation of antioxidant activity of four folk antidiabetic medicinal plants of india, *Pharmacologyonline*, 1, 200-208.
- Gupta, P.D and De, A. (2012), Diabetes Mellitus and Its herbal treatment, *International Journal of Research in Pharmaceutical and Biomedical Sciences*, 3, 2, 706-721.
- Hakkim, F.L., Girija, S., Kumar, S.R and Jalaludeen, M.D. (2007), Effect of aqueous and ethanol extracts of *Cassia auriculata* L. flowers on diabetes using alloxan induced diabetic rats, *International Journal of Diabetes Metabolism*, 15, 100-106.

- Hala, E.M., El- Kewawy, F., Al-Firdous, A and Nagib, R.M. (2011), Beneficial effects of some beverage consumption and orlist drug on diet induced obesity in experimental rate, *Life Science Journal*, 8, 2, 667-675.
- Halliwell, B and Gutteridge, J.M. (1984), Lipid peroxidation, oxygen radicals, cell damage, and antioxidant therapy, *Lancet*, 1, 8391, 1396-7.
- Hamden, K., Mnafigui, K., Amri. Z., Aloulou, A and Elfeki, A. (2013), Inhibition of key digestive enzymes related to diabetes and hyperlipidemia and protection of liver-kidney functions by trigonelline in diabetic rats, *Scientia Pharmaceutica* , 81, 233–246.
- Harikumar, K., Kishore K.B., Hemalatha, G.J., Bharath K. M and Steven, F.S.L. (2015), A review on Diabetes Mellitus, *International Journal of Novel Trends in Pharmaceutical Sciences*, 5, 3, 201-217.
- Hasan, R., Nizam, U., Monir, H., Mahadi, H., Emtiaz, Y., Swagata, S.L., Tasmia, R and Mohammad, S.K. C. (2014), *In vitro* α -amylase inhibitory activity and *in vivo* hypoglycemic effect of ethyl acetate extract of *Mallotus repandus* (Willd.) muell stem in rat model, *Journal of Coastal Life Medicine*, 2,9, 721-726.
- Hashim, A., Salman, K.M., Khan, M.S., Baig, M.H and Ahmad, S. (2013), Antioxidant and alpha-amylase inhibitory property of *Phyllanthus virgatus* L: an *in vitro* and molecular interaction study, *Biomed Research International*, 2013, 1–12.
- Hilaria, M., Elisma., Dapa,M.Y and Teti, M. (2016), Antioxidant activities of ethyl acetate extract and hexane extract of lelak (*Uvaria rufa* Blume) leaves, *Asian Journal of Applied Sciences*, 4, 4, 930-934.
- International Diabetic Federation, (2013), Prevalence of Diabetes in the World, *Diabetes Atlas*, 6, 10.
- Jafri, S.A., Syed, S.H., Aftab, N., Kalsoom and Javed, I. (2011), Hypoglycemic effect of *Aloe vera* extract in alloxan-induced diabetic albino rats, *Medical Journal of Islamic World Academy of Sciences*, 19, 3,127-130.
- Jagtap, A.G and Patil, P.B. (2010), Antihyperglycemic activity and inhibition of advanced glycation end product formation by *Cuminum cyminum* in streptozotocin induced diabetic rats, *Food and Chemical Toxicology*, 48, 2030-2036.
- Jahanban, I.A., Mahmoodzadeh, A., Hassanzadeh, A., Heidari, R and Jamei, R. (2010), Antioxidant and antiradical activities of phenolic extracts from Iranian almond (*Prunus amygdalus* L) hulls and shells, *Turkish Journal of Biology*,34,165–173.

- Jana, S and Shekhawat, G.S. (2010), Phytochemical analysis and antibacterial screening of *in vivo* and *in vitro* extracts of Indian medicinal herb: *Anethum graveolens*, *Research Journal of Medicinal Plants*, 4, 206-212.
- Jayaprasad, B. Sharavanan P.S and Sivaraj, R. (2016), Antidiabetic effect of *Chloroxylon swietenia* bark extracts on streptozotocin induced diabetic rats, *Journal of Basic and Applied Sciences*, 5, 1, 61-69.
- Jorgensen, W. L. (2008), Efficient drug lead discovery and optimization, *Accounts of Chemical Research*, 42, 724–733.
- Jose, E and Usha, P.T.A. (2010), Evaluation of antidiabetic efficacy of *Coccinia indica* in rats, *Indian Journal of Animal Research*, 44, 3, 168 – 172.
- Joseph, B and Jini, D. (2013), Antidiabetic effects of *Momordica charantia* (bitter melon) and its medicinal potency, *Asian Pacific Journal of Tropical Disease*, 3, 2, 93–102.
- Joshi, C., Savai, J., Varghese, A and Pandita. N. (2012), Validated HPTLC fingerprint analysis for simultaneous estimation of quercetin, kaempferol and asiatic acid in leaves of two different chemotypes of *Centella asiatica*, *International Journal of Pharmaceutical and Biological Research*, 3, 5, 202- 212.
- Kakkar, P., Das, B and Viswanathan, P.N. A. (1984), Modified spectrophotometric assay of superoxide dismutase, *Indian Journal of Biochemistry and Biophysics*, 21, 130-132.
- Kaleem, M., Asif, M., Ahmed, Q.U and Bano, B. (2006), Antidiabetic and antioxidant activity of *Annona squamosa* extract in streptozotocin-induced diabetic rats, *Singapore Medical Journal*, 47,8, 670-5.
- Kamalakar, P., Prabhakar, G and Shailaja, K. (2014), Phytochemical screening and TLC profiling of seeds of *Crotalaria verrucosa* Linn, *International Journal of Scientific Research*, 3, 9, 25-30.
- Kamalakkannan, K and Balakrishnan, V. (2015), Studies on the effect of antidiabetic activity of *Achyranthes aspera* L. on alloxan induced wistar rats, *International Journal on Pharmacy and Pharmaceutical Sciences*, 7, 9, 61-64.
- Kang, W.Y., Zhang, L and Song, Y.L. (2009), α -glucosidase inhibitors from *Luculia pinciana*, *China Journal of Chinese Materia Medica*, 34, 4, 406-409.
- Kannan, V.R., Mathan, M., Pandiyan, R and King. S .E. (2011), Phytochemical screening and antidiabetic efficacy in fruit extracts of *Momordica charantia* L. by using alloxan induced wistar albino diabetic rats, *Journal of Pharmaceutical Research and Clinical Practice*, 1,3, 88 – 93.

- Karthic, K., Kirthiram, K.S., Sadasivam, S and Thayumanavan, B. (2008), Identification of alpha-amylase inhibitors from *Syzygium cumini* Linn seeds, *Indian Journal of Experimental Biology*, 46, 677-680.
- Kaur, J., Kaur, S and Mahajan, A. (2013), Herbal medicines: Possible risks and benefits, *American Journal of Phytomedicine and Clinical Therapeutics*, 1, 2, 226-239.
- Kazeem, M. I., Ogunbiyi, J. V and Ashafa, A. O. T. (2013), *In vitro* studies on the inhibition of α -amylase and α -glucosidase by leaf extracts of *Picralima nitida* (Stapf), *Tropical Journal of Pharmaceutical Research*, 12, 5, 719–725,.
- Kesavulu, M.M., Giri, R., Rao, K.R and Apparao, C. (2000), Lipid peroxides and antioxidant enzyme levels in Type 2 diabetics with microvascular complications, *Diabetes and Metabolism*, 26, 5, 387-92.
- Khan, N. (2011), *In vitro* effects of proteinaceous alpha amylase inhibitors on red flour beetle, *Tribolium castaneum*, *Science Research Reporter*, 1, 2, 101-104.
- Kim, S.D and Nho, H.J. (2004), Isolation and characterization of α -glucosidase inhibitor from the fungus *Ganoderma lucidum*, *Journal of Microbiology*, 42, 3, 223-227.
- Kim, S.N., Kim, M.R., Cho, S.M., Kim, S.Y., Kim, J.B and Cho, Y.S. (2012), Antioxidant activities and determination of phenolic compounds isolated from oriental plums (Soldam, Oishiwase and Formosa), *Nutrition Research and Practice*, 6, 4, 277-285.
- Kirchmair, J., Williamson, M.J., Tyzack, J.D., Tan, L., Bond, P.J., Bender, A and Glen, R.C.(2012), Computational prediction of metabolism: Sites, products, SAR, P450 enzyme dynamics, and mechanisms, *Journal of Chemical Information and Modeling*, 52, 3, 617- 48.
- Kitchen, D.B., Decornez, H., Furr, J.R and Bajorath, J. (2004), Docking and scoring in virtual screening for drug discovery: Methods and applications, *Nature Reviews Drug Discovery*, 3, 11, 935–49.
- Klein, S.M., Cohen, G and Cederbaum, A.I. (1991), Production of formaldehyde during metabolism of dimethyl sulphoxide by hydroxyl radical generating system, *Biochemistry*, 20, 6006-6012.
- Koide, H and Oda, T. (1959), Pathological occurrence of glucose-6-phosphatase in liver disease, *Clinica Chimica Acta*, 4, 554-559.
- Kondeti, V.K., Badri, K.R., Maddirala, D.R., Thur, S.K.M., Fatima, S.S and Kasetti, R.B (2010), Effect of *Pterocarpus santalinus* bark on blood glucose, serum lipids, plasma insulin and hepatic carbohydrate metabolic enzymes in streptozotocin induced diabetic rats, *Food and Chemical Toxicology*, 48, 5, 1281–1287.

- Kozlov, I.A., Novitski, V.V and Baikov, A.N. (1995), Kinetics of blood leukocytes in mice with alloxan diabetes, *Bulletin of Experimental Biology and Medicine*, 120, 7, 33-35.
- Kufareva, I and Abagyan, R. (2008), Type-II kinase inhibitor docking, screening, and profiling using modified structures of active kinase states, *Journal of Medicinal Chemistry*, 51, 7921-7932.
- Kumalo, H.M., Bhakat, S and Soliman, M.E. (2015), Theory and applications of covalent docking in drug discovery: Merits and pitfalls, *Molecules*, 20, 2, 1984-2000.
- Kumar, A., Ilavarasan, R., Jayachandran, T., Decaraman, M., Aravindhan, P., Padmanaban, N and Krishna, M.R.V. (2009), Phytochemical investigation on tropical plants, *Pakistan Journal of Nutrition*, 8, 83-85.
- Kumar, A., Illavarasan, R., Jayachandran, T., Deecaraman, M., Aravindan, P., Padmanabhan, N and Krishnan, M.R. (2008), Antidiabetic activity of *Syzygium cumini* and its isolated compound against streptozotocin induced diabetic rats, *Journal of Medicinal Plant Research*, 2, 9, 246-249.
- Kumar, M., Parsad, M and Arya, R.K. (2013), Grain yield and quality improvement in fenugreek: a review, *Forage Research*, 39, 1, 1-9.
- Kumar, V. K and Lalitha, K.G. (2014), *In vitro* study on α -amylase inhibitory activity of an ayurvedic medicinal plant, *Anacyclus pyrethrum* DC root, *Indian Journal of Pharmacology*, 46,3,350-351.
- Kumaravel, R.S., Maleeka, B.S.F., Parvathi, H and Senthil, K. M. (2013), Phytochemical screening and in vitro antioxidant activity of ethyl acetate leaf extracts of *Pterocarpus marsupium* roxb (Fabaceae), *International Journal of Current Science*, 9, E 46-55.
- Kusuma, N.B., Santhisri, K.V and Varalakshmi, K.N. (2015), Diabetes Mellitus and its prevention, *International Journal of Scientific and Technology Research*, 4,8, 119-125
- Kwon, E and Ahn, C. (2012), Low hemoglobin concentration is associated with several diabetic profiles, *Korean Journal of Internal Medicine*, 27,3, 273–274.
- Laila, O and Murtaza, I. (2015), Fenugreek: A treasure of bioactive compounds with promising antidiabetic potential, *International Journal of Food and Nutritional Sciences*, 4, 1, 149-157.
- Laila, O., Murtaza, I., Abdin, M.Z., Ahmad, S., Ganai, N and Jehangir, M. (2014), Development and validation of HPTLC method for simultaneous estimation of diosgenin and quercetin in fenugreek seeds (*Trigonella foenum-graceum*), *International Scholarly Research Notices Chromatography*, 2013, 1-8.

- Latifou,L., Abdou, M.O.A and Ambaliou, S. (2015), Antioxidant activity and total phenolic, flavonoid and flavonol contents of the bark extracts of *Acacia ataxacantha*, *Journal of Pharmacognosy and Phytochemistry* 4, 2, 172-178.
- Lavie, C.J, Schutter, D. A and Milani, R.V. (2013), Is there an obesity, overweight, or lean paradox in coronary heart disease? Getting to the fat of the matter, *Heart*, 99, 9, 596-598.
- Leena, S., Priyanka,S., Anupma, M., Sheema, B., Pooja, B and Sunita, D. (2014), Phytochemical evaluation and HPTLC fingerprint profile of *Cassia fistula*, *International Journal of Advances in Pharmacy, Biology and Chemistry*,3,3,604-611.
- Li,Y., Chen,Y., Xiao,C., Chen,D., Xiao,Y and Mei, Z. (2014), Rapid screening and identification of α -amylase inhibitors from *Garcinia xanthochymus* using enzyme-immobilized magnetic nanoparticles coupled with HPLC and MS, *Journal of Chromatography B, Analytical Technologies in the Biomedical and Life Sciences*, 960, 166– 173.
- Liebler, D.C., Burr,J.A., Philips, L and Ham, A.J.L. (1996), Gas chromatography – mass spectrometry analysis of vitamin E and its oxidation products, *Analytical Biochemistry*, 236, 27-34.
- Liu, H.X., Sun, S.Q., Lv, G.H and Chen, K.K. (2006), Study on *Angelica* and its different extracts by Fourier transform infrared spectroscopy and two dimensional correlation IR spectroscopy, *Molecular and Biomolecular Spectroscopy*, 64, 321-326.
- Lowry, O.H., Rosebrough, N. J., Farr, A.L and Randall, R.J. (1951), Protein measurement with the folin phenol reagent, *Journal of Biological Chemistry*, 193, 265-275.
- Luck, H. (1974), *Methods in Enzymatic Analysis*, II Edition, Bergmeyer Publication, Academic Press, New York, 885-890.
- Maanvizhi, S., Radhakrishnan, N., Lam, K.W and Arumugam, G. (2014), HPAA inhibitory effect of embelin and its metal complexes on diabetic complications: an approach with molecular docking studies, *Journal of Chemical and Pharmaceutical Research*, 6, 2, 679-682.
- Madhusudhan, T and Kirankumar,H (2015), In-vitro α -amylase and α -glucosidase inhibitory activity of *Adiantum caudatum* Linn and *Celosia argentea* Linn extracts and fractions, *Indian Journal of Pharmacology*, 47,4, 425-9.
- Magalhaes, P., Appell, H and Duarte, J. (2008), Involvement of advanced glycation end products in the pathogenesis of diabetes complication: the protective role of regular physical activity, *European Review of Aging and Physical Activity*, 5, 1, 17–29.

- Mahadevi, A. S and Sastry, G. N. (2016), Cooperativity in noncovalent interactions. *Chemical Reviews*, 116, 5, 2775 -2825.
- Mahendran, S., Badami, S and Maithili, V. (2010), Evaluation of antidiabetic effect of embelin from *Embelia ribes* in alloxan induced diabetes in rats, *Biomedicine and Pharmacotherapy*, 1, 1.
- Mahesh, D., Laxman, K., Vandana, N and Rohini, D. (2016), Review on Diabetes Mellitus, *International Journal of Pharmacotherapy*, 6, 1, 24-45.
- Mahesha, M.P., Vishnumurthy, K.A and Vasudeva, A.A. (2015), Extraction, characterization and biological studies of phytochemicals from *Mammea suriga*, *Journal of Pharmaceutical Analysis*, 5, 3, 182–189.
- Mahmoud, N., Ebrahim-Habibi, A., Hezareh, A., Yaghmaei, P., Parivar, K and Larijani B. (2010). Trans-chalcone: a novel small molecule inhibitor of mammalian alpha-amylase, *Molecular Biology Reports*, 38, 3, 1617-20.
- Mahomoodally, M.F., Gurib-Fakim, A and Subratty, A.H. (2007), Effect of exogenous ATP on *Momordica charantia* Linn (Cucurbitaceae) induced inhibition of D-glucose, L-tyrosine and fluid transport across rat everted intestinal sacs *in vitro*, *Journal of Ethno Pharmacology*, 2, 257-263.
- Maiti, R., Jana, D., Das, U.K and Ghosh, D. (2004), Antidiabetic effect of aqueous extract of seed of *Tamarindus indica* in streptozotocin induced diabetic rats, *Journal of Ethnopharmacology*, 92, 1, 85-91.
- Malarkodi, V., Mahendra, S., Ravichandiran, V., Nirmala, S and Sanjay, R. (2011), Antidiabetic activity of ethyl acetate and ethanolic extract of *Scindapsus officinalis* fruit in alloxan induced diabetic rats, *International Journal of PharmTech Research*, 3, 3, 1305-1310.
- Malini, P., Kanchana, G and Rajadurai, M. (2011), Antiperoxidative and antioxidant effect of ellagic acid on normal and streptozotocin induced diabetes in albino wistar rats, *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 2, 3, 24 - 34.
- Malpani, S.L and Manjunath, KP. (2013), *In vitro* - amylase inhibition and chromatographic isolation of *Cassia Fistula* Linn bark, *International Journal of advances in Pharmacy, Biology and Chemistry*, 2,1, 16 -20.
- Mannan, A., Rupa, B.A., Azam, N.K., Ahmed, N and Hasan, N. (2014), A quick review on antidiabetic plants and action of phytochemicals, *International Journal of Advanced Research*, 2, 227-249.

- Marella, S., Maddirela, D.R., Kumar, E.G.T.V, Tilak, T.K., Badri, K.R and Apparao, C. (2016), Mcy protein, a potential antidiabetic agent: Evaluation of carbohydrate metabolic enzymes and antioxidant status, *International Journal of Biological Macromolecules*, 86, 2016,481-488.
- Maria-Luisa, L and Cristina, F. (2013), Oxidative stress in Diabetes Mellitus and the role of vitamins with antioxidant actions, *Oxidative Stress and Chronic Degenerative Diseases - A Role for Antioxidants*, 209-232.
- Mariswamy, Y., Gnaraj, W.E and Johnson, M. (2011), Chromatographic finger print analysis of steroids in *Aerva lanata* L by HPTLC technique, *Asian Pacific Journal of Tropical Biomedicine*, 428-433.
- Martin, M and Guiochon, G. (2005), Effects of high pressure in liquid chromatography, *Journal of Chromatography A*, 1090, 16-38.
- Mayur, B., Sandesh, S., Shruti, S and Sung-Yum, S. (2010), Antioxidant and α -glucosidase inhibitory properties of *Carpesium abrotanoides* L, *Journal of Medicinal Plants Research*, 4, 15, 1547-1553.
- Mbata, C.A., Adebayo A., Chinyere, N and Nyeso,W.A. (2015), Some haematological parameters in diabetic patients in Port Harcourt Nigeria, *Asian Journal of Multidisciplinary Studies*,3,2,2348–7186.
- Mehrafarin, A., Qaderi, A., Rezazadeh, S.H., Naghdi-Badi, H., Noormohammadi, G.H and Z and E. (2010), Bioengineering of important secondary metabolites and metabolic pathways in fenugreek (*Trigonella foenumgraecum* L), *Journal of Medicinal Plants*, 9, 35, 1 – 18.
- Mehta, J.I., Rasouli, N., Sinha, A.K and Molavi, B. (2006), Oxidative stress in Diabetes: A mechanistic over view of its effects on atherogenesis and myocardial dysfunction, *International Journal of Biochemistry and Cell Biology*, 38, 794-803.
- Mercy, J., Latha, K and Vanaja, R. (2013), Determination of bioactive components of decholestrate, a polyherbal formulation by GC-MS Analysis, *New York Science Journal*, 6,5, 1-5.
- Merzouk, H., Madani, S., Chabane, S.D., Prost, J., Bouchenak, M and Belleville, J. (2000), Time course of changes in serum glucose, insulin, lipids and tissue lipase activities in macrosomic offspring of rats with streptozotocin-induced diabetes, *Clinical Science*, 98,1 ,21-30.
- Metibemu,D.S., Saliu,J.A., Metibemu,A. O., Oluwadahunsi, O. J., Oboh, G., Omotuyi, I. O. and Akinloye, O. A. (2016), Molecular docking studies of isorhamnetin from *Corchorus olitorius* with target alpha-amylase related to Type 2 Diabetes, *Journal of Chemical and Pharmaceutical Research*, 8,4,1262-1266.

- Minaxi,S., Vidhi,T and Dikshit, R. K.(2015), Recent modalities in management of Diabetes Mellitus, *GCSMC Journal of Medical Sciences*,4,1,7-14.
- Minnassian, C and Mitheux, G. (1994), Differential time course of liver and kidney glucose-6-phosphate activity during fasting in rats, *Comparative Biochemistry and Physiology, Part B, Biochemistry and Molecular Biology*, 109, 1, 99–104.
- Mioko K.N., Masami,K., Emiko,K., Masao,S., Ikuol., Toshihiro,M and Katsumi,I. (2001),Intestinal absorbability of wheat allergens, subunits of a wheat alpha-amaylase inhibitor, expressed by bacteria, *Bioscience, Biotechnology, and Biochemistry*, 65, 2448-2455.
- Mir, M. A., Sawhney, S.S and Jassal, M.M.S. (2013),Qualitative and quantitative analysis of phytochemicals of *Taraxacum officinale*, *Wudpecker Journal of Pharmacy and Pharmacology*, 2,1, 001 – 005.
- Mithievre, G., Vidal, G., Zitovn, C and Miriasian, C. (1996), Glucose-6- phosphatase mRNA and activity are increased to the same extent in liver and kidney of diabetic rats, *Diabetes*, 45, 7,891-6.
- Mobley, D. L and Dill, K. A. (2009), Binding of small-molecule ligands to proteins: “what you see” is not always “what you get”, *Structure*, 17, 4, 489-498.
- Mohamed, E. K., Alae, C., Najlae, M., Ouarda, A., Abdellah, F.,Lotfi, A., Rachid, B and Abdelali T. (2016), Antidiabetic effect of *Thymus satureioides* aqueous extract in streptozotocin-induced diabetic rats, *International Journal of Pharmacy and Pharmaceutical Sciences*, 8, 9, 140-145.
- Mohan, V. R., Gurusamy, S and Salomon, J. (2014), *In vitro* antioxidant studies of tuber of *Jatropha maheshwarii* Subram and Nayar, *International Journal of Pharmaceutical Sciences Review and Research*, 29,1, 6-10.
- Mohanasundari, L and Suja, S. (2016), Antioxidant and free radical scavenging activity of the mixture of ethanolic extracts of *Alpinia speciosa* and *Alpinia calcarata* rhizome, *International Journal of Pharmacy and Pharmaceutical Sciences*, 8, 8,164-170
- Mohapatra. S., Alisha, P., Farhan, H., Sonali, R., Bratati, D and Sirsendu, S. R. (2015), *In silico* investigation of black tea components on α -amylase, α -glucosidase and lipase, *Journal of Applied Pharmaceutical Science*, 5,12, 042-047.
- Moron, M.S., Depierre, J.W and Mannervik, B. (1979), Levels of glutathione, glutathione reductase and glutathione -s-transferase activities in rat lung and liver, *Biochimica et Biophysica*, 582, 67-78.

- Mosquera, O.M., Correa, Y.M and Buitrago, D.C. (2007), Antioxidant activity of twenty five plants from Colombian biodiversity, *Memorias do Instituto Oswaldo Cruz*, 102, 631–634.
- Muhammad, N.O., Soji-Omoniwa, O., Usman, L. A and Omoniwa, B.P.(2013), Antihyperglycemic activity of leaf essential oil of *Citrus sinensis* (L) osbeck on alloxan- induced diabetic rats, *Annual Review and Research in Biology*, 3,4, 825-834.
- Murali, R., Arumugam, K and Ramalingam, S. (2013), Protective effects of D-limonene on lipid peroxidation and antioxidant enzymes in streptozotocin-induced diabetic rats, *Basic and Clinical Pharmacology and Toxicology*, 112,175–181.
- Murugan, K., Geethu, M.G., Suchithra, P., Kavitha. C.H., Aswathy, J.M and Dinesh, B. (2014), Fourier Transform Infrared Spectroscopy analysis of different solvent extracts of water hyacinth (*Eichhornia crassipes* Mart Solms) an allelopathic approach, *World Journal of Pharmacy and Pharmaceutical Sciences*, 3, 6, 1256-1266.
- Mythili, S and Sathiavelu, A. (2012), High performance thin layer chromatography profile of *Cassytha filiformis*, *Asian Pacific Journal of Tropical Biomedicine*, S1431-S1435.
- Myung-Hee, K., Sung-Hoon, J., Hae-Dong, J., Mee, S.L and Young-In, K.(2010), Antioxidant activity and α -glucosidase inhibitory potential of onion (*Allium cepa* L) extracts, *Food Science Biotechnology*, 19, 159-164.
- Nahla, A.M.H. (2016), Alterations in hematological parameters: could it be a marker in Diabetes Mellitus, *BAOJ Diabetes*, 2, 1, 1-9.
- Nandhini, V and Victor, A.D.D.(2014), Evaluation of antioxidant status (non- enzymic) and hemodynamic changes of flower extract of *Rosa damascena* in streptozotocin induced diabetic rats, *International Journal of Informative and Futuristic Research*, 2,4, 941-948.
- Narendhirakannan, R., Subramanian, S and Kandaswamy, M. (2006), Biochemical evaluation of antidiabetogenic properties of some comonly used Indian plants on streptozocin induced diabetes in experimental rats, *Clinical and Experimental Pharmacology and Physiology*, 33, 1150-1157.
- Nashte, S.T., Thorat, Y.S., Mulani, J.D and Gulme S.B. (2013), A Review on herbal medicines used in the therapy of Diabetes Mellitus, *International Journal of Universal Pharmacy and Life Sciences*, 3,4, 199-211.

- Nazareth, A.S., Nadiya, K and Vijayalakshmi, K. (2014), Phytochemical screening and antioxidant study of *Ipomoea batatas lam* (sweet potatoes), *International Journal of Biological and Pharmaceutical Research*, 5,7, 566-570.
- Ncube, N.S., Afolayan, A.J and Okoh, A.I. (2008), Assessment techniques of antimicrobial properties of natural compounds of plant origin: current methods and future trends, *African Journal of Biotechnology*, 7, 12, 1797-1806.
- Neeharika, S., Aishwarya, S. C and Bechan, S. (2012), Isolation and characterization of some phytochemicals from Indian traditional plants, *Biotechnology Research International*, 1-8.
- Neelakantan, N., Narayanan, M., deSouza, R.J and Van-Dam, R.M. (2014), Effect of fenugreek (*Trigonella foenum-graecum* L) intake on glycemia: a meta-analysis of clinical trials, *Nutrition Journal*, 13, 1-11.
- Ngugi, M. P, Njagi, M. J., Kibiti, M., Cromwell., Ngeranwa, J.N., Joseph, N. N.M., Eliud, N. M., Wilson and Gathumbi, K. P. (2012), Herbal management of Diabetes Mellitus: A rapidly expanding research avenue, *International Journal of Current Pharmaceutical Research*, 2,4, 1- 4.
- Nickavar, B and Gholamreza, A. (2011), Enzyme assay guided isolation of an α -amylase inhibitor flavonoid from *Vaccinium arctostaphylos* leaves, *Iranian Journal of Pharmaceutical Research*, 10, 4, 849-853.
- Nizam. U.N., Rakib H., Monir H., Arjyabrata, S., Nazmul, H.A.H.M., Mahmudul, I.A.F.M., Motaher, H.M.C and Sohel, R. (2014), *In vitro* α -amylase inhibitory activity and in vivo hypoglycemic effect of methanol extract of *Citrus macroptera* Montr fruit, *Asian Pacific Journal of Tropical Biomedicine*, 4,6, 473-479.
- Nunes, P.X., Silva, S.F., Guedes, R.J and Almeida, S. (2012), Biological oxidations and antioxidant activity of natural products, *Phytochemicals as nutraceuticals - Global Approaches to their Role in Nutrition and Health*, 1-21.
- Nyunai, N., Abdennebi, E.H., Bickii, J and Manguelle-Dicoum, M.A. (2015), Subacute antidiabetic properties of *Ageratum conyzoides* leaves in diabetic rats, *International Journal of Pharmaceutical Sciences and Research*, 6, 4, 1378- 1387.
- Odoh, U.E., Onugha, V. O and Chukwube, V. O. (2016), Evaluation of antidiabetic effect and hematological profile of methanol extract of *Ceiba pentandra* G (Malvaceae) stem bark on alloxan-induced diabetic rats, *African Journal of Pharmacy and Pharmacology*, 10, 28, 584-590.
- Ogunwa, T. H. (2016), Molecular interaction and inhibitory potential of selected plant-derived polyphenolic compounds with human α -amylase, *International Journal of Computational Biology and Bioinformatics*, 1, 1, 21 - 26.

- Ohkawa, H., Ohishi, N and Yagi, K. (1979), Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction, *Analytical Biochemistry*, 95, 351-358.
- Ohlsson, A and Aher, S.M.(2012), Early erythropoietin for preventing red blood cell transfusion in preterm and/or low birth weight infants, *Cochrane Database of Systematic Reviews*, 9.
- Ohshita, K., Yamane, K., Hanafusa, M., Mori. H., Mito, K and Okubo, M. (2004), Elevated white blood cell count in subjects with impaired glucose tolerance, *Diabetes Care*, 27, 2, 491–6.
- Oishi, Y., Sakamoto, T., Udagawa, H., Taniguchi, H., Kobayashi-Hattori, K., Ozawa, Y and Takita, T. (2007), Inhibition of increases in blood glucose and serum neutral fat by *Momordica charantia* saponin fraction, *Bioscience, Biotechnology and Biochemistry*, 71, 735–740.
- Oseni, O.A., Odesanmi, O.E and Oladele, F.C. (2015), Antioxidative and antidiabetic activities of watermelon (*Citrullus lanatus*) juice on oxidative stress in alloxan-induced diabetic male wistar albino rats, *Nigerian Medical Journal*, 56, 4, 272-277.
- Ozougwu, J.C. (2011), Antidiabetic effects of *Allium cepa* (onions) aqueous extracts on alloxan-induced diabetic *Rattus norvegicus*, *Journal of Medicinal Plants Research*, 5, 7, 1134-1139.
- Panigrahi, S. K and Desiraju, G. R. (2007), Strong and weak hydrogen bonds in the protein–ligand interface, *Proteins: Structure, Function and Bioinformatics*, 67, 1,128-141.
- Parameswari, C. S., Arul, J.M and Vincent, S. (2016), Hematological studies on the effect of zingerone on streptozotocin induced diabetic rats, *International Journal of Pharmaceutical Research and Bio-Science*, 5, 2, 21-26.
- Pardini, R.S. (1995), Toxicity of oxygen from naturally occurring redox-active pro-oxidants, *Archives of Insect Biochemistry and Physiology*, 29, 101-118.
- Pari, L and Latha, M. (2004), Protective role of *Scoparia dulcis* plant extract on brain antioxidant status and lipid peroxidation in STZ diabetic male Wistar rats, *Bio Med Central Complementary and Alternative Medicine*, 4, 16.
- Pari, L and Murugan, P. (2005), Effect of tetrahydrocurcumin on blood glucose, plasma insulin and hepatic key enzymes in streptozotocin induced diabetic rats, *Journal of Basic and Clinical Physiology and Pharmacology*, 16, 4, 257-74.
- Parildar, H., Serter, R and Yesilada, E. (2011), Diabetes Mellitus and phytotherapy in Turkey, *Journal of Pakistan Medical Association*, 61, 11, 1116-1120.

- Parul,S and Rekha,V. (2015), *In vitro* α -amylase inhibitory activity and GC-MS analysis of *Petrea volubilis*, *International Journal of Science and Research*, 4, 4, 190-194.
- Patel, D.K., Kumar, R., Laloo, D and Hemalatha, S (2012b), Natural medicines from plant source used for therapy of Diabetes Mellitus: an overview of its pharmacological aspects, *Asian Pacific Journal of Tropical Disease*, 2, 3, 239-250.
- Patel, D.K., Kumar, R., Laloo, D and Hemalatha, S. (2012a), Diabetes Mellitus: an overview on its pharmacological aspects and reported medicinal plants having antidiabetic activity, *Asian Pacific Journal of Tropical Biomedicine*,2,5, 411- 420.
- Patel, P., Harde, P., Pillai, J., Darji, N and Patel, B. (2012c), Antidiabetic herbal drugs- a review, *Pharmacophore*, 3, 1, 18-29.
- Patel, V and Sharma, V. (2014), The role of natural antioxidants in oxidative stress induced Diabetes Mellitus, *Research Journal of Pharmaceutical Sciences*, 3, 4, 1-6.
- Patil, R., Ahirwar, B and Ahirwar, D. (2011), Isolation and characterization of anti-diabetic component (bioactivity guided fractionation) from *Ocimum sanctum* L (Lamiaceae) aerial parts, *Asian Pacific Journal of Tropical Medicine*, 278-282.
- Patil, R., Das, S., Stanley, A., Yadav, L., Sudhakar, A and Varma, A.K.(2010), Optimized hydrophobic interactions and hydrogen bonding at the target-ligand interface leads the pathways of drug-designing, *PLOS One*, 5,8, e12029.
- Pavithra, K and Vadivukkarasi, S. (2015), Evaluation of free radical scavenging activity of various extracts of leaves from *Kedrostis foetidissima* (Jacq.) Cogn, *Food Science and Human Wellness*, 4, 1, 42-46.
- Pavithra, N., Sathish,L., Nagasai., Babu., Venkatarathanamma, V., Pushpalatha, H., Bhanuprakash, G.R and Ananda, K.(2014), Evaluation of α -amylase, α -glucosidase and aldose reductase inhibitors in ethyl acetate extracts of endophytic fungi isolated from antidiabetic medicinal plants, *International Journal of Pharmaceutical Sciences and Research*, 5,12, 5334-5341.
- Peteros, N.P. (2010), Antioxidant and cytotoxic activities and phytochemical screening of four Philippine medicinal plants, *Journal of Medicinal Plants Research*, 4, 5, 407-414.
- Piero, M.N., Nzaro, G.M and Njagi, J.M. (2015), Diabetes Mellitus- a devastating metabolic disorder, *Asian Journal of Biomedical and Pharmaceutical Sciences*, 4, 40, 1-7.

- Poonam, T., Prakash, G .P and Kumar, L.V. (2013), Influence of *Allium sativum* extract on hypoglycemic activity of glibenclamide: an approach to possible herb-drug interaction, *Drug metabolism and Drug interaction*, 28, 4, 225-30.
- Poongunran,J., Handunge, K. I. P., Lalith, J., Irushika, T. F., Ramaiah, S., Hiroshi, A and Yoshinori,F. (2016), Bioassay-guided fractionation and identification of α -amylase inhibitors from *Syzygium cumini* leaves, *Pharmaceutical Biology*, 55, 1, 206–211.
- Prabakaran, D and Ashokkumar, N. (2012), Antihyperglycemic effect of esculetin modulated carbohydrate metabolic enzymes activities in streptozotocin induced diabetic rats, *Journal of functional foods*, 4, 776 –783.
- Prakash, O., Rajesh, K., Ritika, S., Pragya, T., Shradha, M and Ajeet. (2015), Plants explored with antidiabetic properties: a review, *American Journal of Pharmacological Sciences*, 3, 3, 55-66.
- Prasad, R., Acharya, S., Erickson, S and Thomas, J. (2014), Identification of *Cercospora* leaf spot resistance among fenugreek accessions and characterization of the pathogen, *Australian Journal of Crop Science*, 8,6, 822-830.
- Prashant, A and Ritika, G. (2016), Alpha-amylase inhibition can treat Diabetes Mellitus, *Research and Reviews Journal of Medical and Health Sciences*, 5, 4, 1-8.
- Prashant, B. M., Rishikesh, V. A and Rajesh, J.O. (2012), Antidiabetic drugs: an overview, *International Journal of Pharmaceutical and Chemical Sciences*, 1,1, 301-306.
- Premkumar, G., Sankaranarayanan, R., Jeeva, S and Rajarathinam, K. (2011), Cytokinin induced shoot regeneration and flowering of *Scoparia dulcis* L (Scrophulariaceae) - an ethnomedicinal herb, *Asian Pacific Journal of Tropical Biomedicine*, 1, 169-172.
- Prior, R.L., Wu, X and Schaich, K.J. (2005), Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements, *Journal of Agricultural and food chemistry*, 53, 4290–4302.
- Priya, V., Jananie, R.K and Vijayalakshmi, K. (2011), GC/MS determination of bioactive components of *Trigonella foenum-grecum*, *Journal of Chemical and Pharmaceutical Research*, 3, 5, 35-40.
- Punithavatki, V.R., Anuthama, R and Prince, P.S. (2008), Combined treatment with naringin and vitamin C ameliorates streptozotocin-induced diabetes in male wistar rats, *Journal of Applied Toxicology*, 28, 6, 806-13.
- Ragavendran, P., Sophia, D., Arul, R.C and Gopalakrishnan,V.K. (2011), Functional group analysis of various extracts of *Aerva lanata* (L) by FTIR spectrum, *Pharmacology Online*, 1,4,358- 364.

- Ragini, V., Prasad, K.V.S.R.G and Bharathi, K. (2011), Antidiabetic and antioxidant activity of *Shorea tumbuggaia* Rox, *International Journal of Innovative Pharmaceutical Research*, 2, 2,113-121.
- Rahimi, R., Nikfar, S., Larijani, B and Abdollahi. M. (2005), A review on the antioxidants in the management of diabetes and its complications, *Biomedicine and Pharmacotherapy*, 59, 7, 365-73.
- Rahimzadeh, M., Samaneh, J., Soheila, M and Mahmood, R. M. (2014), Evaluation of alpha- amylase inhibition by *Urtica dioica* and *Juglans regia* extracts, *Iranian Journal of Basic Medical Sciences*, 17,6, 465–469.
- Raja, G., Ivvala, A.S., Sailaja, I., Swaminathan, R., Saleem, B. S and Suresh, B.K. (2012). Study of antioxidant potential in leaves, stems, nuts of *Juglans regia*, *International Journal of Bioassays*, 1, 10, 79-85.
- Rajbir,S., Bikram, S., Sukhpreet S., Neeraj, K., Subodh, K and Saroj, A. (2009), Investigation of ethyl acetate extract fractions of *Acacia nilotica* willd. Ex Del as potent antioxidant, *Records of Natural Products*, 3, 3,131-138.
- Raju, P., Ravindra, P., Bharati A and Dheeraj, A. (2011), Current status of Indian medicinal plants with antidiabetic potential: a review, *Asian Pacific Journal of Tropical Biomedicine*, S291-S298.
- Ramachandran, A., Das, A.K., Joshi, S.R., Yajnik, C.S., Shah, S and Prasanna, K.K.M. (2010), Current status of diabetes in India and need for novel therapeutic agents, *Journal of the Associations of Physicians of India*, 58, 7-9.
- Ramirez, G., Zavala, M., Perez, J and Zamilpa, A. (2012), *In vitro* screening of medicinal plants used in Mexico as antidiabetics with glucosidase and lipase inhibitory activities, *Evidence-Based Complementary and Alternative Medicine*, 2012, 701261.
- Ramith,R., Prithvi,S.S., Farhan,Z., Lakshmi,V.R and Nagendra,M.N.P.(2014), Inhibitory effect of banana (*Musa sp. var. Nanjangud rasa bale*) flower extract and its constituents umbelliferone and lupeol on α -glucosidase, aldose reductase and glycation at multiple stages, *South African Journal of Botany*, 95,54-63.
- Ramya, P and Lakshmidivi, N.(2015), Antidiabetic and antioxidant potential of *Andrographis paniculata* Nees leaf ethanol extract in streptozotocin induced diabetic rats, *Journal of Applied Pharmaceutical Science*,5,1, 69-76.
- Ranjan, C and Ramanujam, R. (2002), Diabetes and insulin resistance associated disorders- disease and the therapy, *Current Science*, 83, 1533-1538.

- Ranjit, P and Archana,G. (2016), *In vitro* antimicrobial and antioxidant activities of *Pimpinella tirupatensis* leaf methanolic and ethyl acetate extracts, *Journal of Chemical and Pharmaceutical Research*, 8,7,801-806.
- Rayar, A and Rajamanickam, M. (2016), *In vitro* alpha-amylase and alpha-glucosidase inhibition activity of umbelliferone and beta-Ionone isolated from *Coriandrum Sativum* Linn, *World Journal of Pharmacy and Pharmaceutical Sciences*, 5,1, 1280-1289.
- Re, R., Pellegrini, N., Proteggente, A., Pannala, A., Yang, M and Rice-Evans, C. (1999), Antioxidant activity applying an improved ABTS radical cation decolourization assay, *Free Radical Biology and Medicine*, 26, 1231–1237.
- Remington,J.P and Remington.(2005),The science and practice of pharmacy,Twenty First Edition, Lippincott Williams and Wilkins, Philadelphia, 773-774.
- Research Society for the Study of Diabetes in India- RSSDI, (2015), Clinical Practice Recommendations for management of Type 2 Diabetes Mellitus.
- Revathi,P., Jeyaseelan, S. T., Thirumalaikolundusubramanian, P and Prabhu, N. (2014), An overview of antidiabetic profile of mangrove plants, *International Journal of Pharmacy And Pharmaceutical Sciences*, 6, 3, 1-5
- Rezac, J and Hobza, P.(2016), Benchmark calculations of interaction energies in non covalent complexes and their applications, *Chemical Reviews*, 116, 9, 5038–5071.
- Robertson, J.G. (2005), Mechanistic basis of enzyme-targeted drugs, *Biochemistry*, 44, 15, 5561-71.
- Robertson, J.G. (2007), Enzymes as a special class of therapeutic target: Clinical drugs and modes of action, *Current Opinion in Structural Biology*, 17, 6, 674–679.
- Roe, J.H and Kuether, C.A. (1953),The determination of ascorbic acid in whole blood and urine through 2, 4- dinitrophenyl hydrazine derivative dehydro ascorbic acid, *Journal of Biological Chemistry*, 147, 399-407.
- Roger, C.R., Hadidane, R and Biard, J.F.(1987), High performance liquid chromatography and thin layer chromatography determination of phenolic acids in palm (*Phoenix dactylifera*) products, *Food Chemistry*, 25, 61-71.
- Rosenberg, H.R. (1992), Chemistry and physiology of vitamins, *Interscience Publishers*, New York, 452-453.
- Rotruck, J.T., Pope,A.L., Ganther,H.E., Swanson,A.B., Hafeman, D.G and Hoekstra, W. G. (1973), Selenium, biochemical roles as a component of glutathione peroxidase, *Science*, 179, 4073, 588-590.

- Sadi, G., Yılmaz, O and Guray, T. (2008), Effect of vitamin C and lipoic acid on streptozotocin-induced diabetes gene expression: mRNA and protein expressions of Cu-Zn SOD and catalase, *Molecular and Cellular Biochemistry*, 309, (1-2), 109-16.
- Saeed, M.K., Shahzadi, I., Ahmad, I., Ahmad, R and Shahzad K. (2010), Nutritional analysis and antioxidant activity of bitter gourd (*Momordica charantia*) from Pakistan, *Pharmacology Online*,1, 252-260.
- Saifi, A., Namdeo, K. P., Bodakhe, S.H and Dwedi, J.(2013), A review on antidiabetic potential of *Momordica charantia* Linn, *International Journal of Pharmaceutical Research and Bio-Science*, 2, 6, 475-485.
- Saini, K., Asija, R and Sharma, P.K.(2015), Management and role of diet and exercise in Diabetes Mellitus: a review, *Scholars Academic Journal of Pharmacy*,4,3, 212-216
- Sakuljaitrong,S., Sanong,C., Chusri, T and Nopparat, B. (2012), Effect of flower extract from lotus (*Nelumbo nucifera*) on haematological values and blood cell characteristics in streptozotocin-induced diabetic rats, *ARPN Journal of Science and Technology*, 2, 11,1049- 1054.
- Sales, P.M., Souza, P.M., Simeoni, L.A., Magalhaes, P.O and Silveira, D. (2012), α -amylase inhibitors: a review of raw material and isolated compounds from plant source, *Journal of Pharmacy and Pharmaceutical Sciences* ,15,1, 141 – 183.
- Salim, A and Hamadi, (2012), Effect of trigonelline and ethanol extract of Iraqi fenugreek seeds on oxidative stress in alloxan diabetic rabbits, *Journal of the Association of Arab Universities for Basic and Applied Sciences*,12,1, 23-26.
- Saliu, J.A., Elekofehinti, O.O, Komolafe, K and Oboh, G. (2012), Effects of some green leafy vegetables on the haematological parameters of diabetic rats, *Journal of Natural Product and Plant Resources*, 2, 4,482- 485.
- Sangeetha, R and Vedaasree, N. (2012), *In vitro* α -amylase inhibitory activity of the leaves of *Thespesia populnea*, *International Scholarly Research Notices Pharmacology*, 1-4.
- Sangeetha, S., Archit, R and Sathiavelu, A. (2014), Phytochemical testing, antioxidant activity, HPTLC and FTIR analysis of antidiabetic plants *Nigella sativa*, *Eugenia jambolana*, *Andrographis paniculata* and *Gymnema sylvestre*, *Research Journal of Biotechnology*, 9,9, 66-72.
- Santharam, B., Ganesh, P., Soranam, R., Divya, V.V and Packia, L.N.C.J. (2015), Free radical scavenging activity of various extracts of whole plant of *Calycopteris floribunda* (lam.): an *in vitro* evaluation, *Asian Journal of Pharmaceutical and Clinical Research*, 8, 2, 360-363.

- Sasidharan,S., Chen,Y., Saravanan,D., Sundram,K.M and Yoga, L.L. (2011), Extraction, isolation and characterization of bioactive compounds from plant extracts, *African Journal of Traditional, Complementary and Alternative medicines*, 8,1,1–10.
- Sathishsekar, D and Subramanian, S. (2005), Antioxidant properties of *Momordica charantia* (bitter gourd) seeds on streptozotocin induced diabetic rats, *Asia Pacific Journal of Clinical Nutrition*, 14, 2,153-158.
- Satish, K., Vivek, K and Chandrashekhar, M.S. (2011), *In-vitro* anti-oxidant and alpha-amylase inhibitory activity of isolated fractions from methanolic extract of *Asystasia dalzelliana* leaves, *International Journal of Pharm Tech Research*, 3, 2, 889-894.
- Savithamma, N., Linga, M.R and Suhurulatha, D. (2011), Screening of medicinal plants for secondary metabolites, *Middle- East Journal of Scientific Research*, 8, 579-584.
- Savula, J., Reddy, C.S and Srinivas, S.J. (2012), Antidiabetic activity of combined extracts of various *Momordica* species, *International Journal of Pharmtech Research*, 4, 2, 568-571.
- Schettler, G and Nussel, E. (1975), Colorimetric determination of triglycerides and cholesterol, *Arb Med Soz Med Prav Med*, 10, 25.
- Seasotiya,L.,Priyanka,S., Sheema, B., Anupma, M., Pooja, B and Sunita, D. (2014), Free radical scavenging activity, phenolic contents and phytochemical analysis of seeds of *Trigonella foenum graecum*, *Asian Pacific Journal of Health Sciences*,1,3, 219-226.
- Seema, T and Chanchal, D., K. (2014), Fighting Diabetes with herbal technological developments, *World Journal of Pharmaceutical Research*, 3, 2, 2842-2867.
- Seifter, S., Dayton, S., Molic, B and Mutwzter, E. (1950), The estimation of glycogen with the anthrone reagent, *Archives of Biochemistry*, 25, 1,191–200.
- Selvin, E., Steffes, M.W., Zhu,H., Matsushita, K., Wagenknecht, L., James, P., Josef,C and Frederick,L.B.(2010),Glycated hemoglobin, diabetes, and cardiovascular risk in nondiabetic adults, *The New England Journal of Medicine*, 362, 800-811.
- Senthilkumar, G. P and Subramanian, S. P. (2008), Biochemical studies on the effect of *Terminalia chebula* on the levels of glycoproteins in streptozotocin-induced experimental diabetes in rats, *Journal of Applied Biomedicine*, 6, 105-115.
- Senthilraj, T., Arati, L.C and Thangasami, S. (2015), Emphasis of yoga in the management of diabetes, *Journal of Diabetes and Metabolism*, 6, 10, 613.

- Sharma, B. (2000), L-Carnitine and Vitamin-E the antioxidant, *Journal of the American Medical Association*, 3, 51 – 52.
- Sharma, B.L., Daulat, S., Santosh, S.K., Afzal, H., Arjun, S and Anil, B. (2013), Studies on some primary metabolite's extraction and quantification in different plant parts of selected *Cassia species*, *Asian Journal of Pharmaceutical and Clinical Research*, 6, 309-14.
- Sharma, H.L and Sharma, K.K. (2013), Insulin and other antidiabetic drugs, *Principles of Pharmacology*, Second edition, Delhi Paras Medical Publisher, 626-41.
- Shilpa, V.N., Narmadha, R., Gopalakrishnan, V.K and Devaki, K. (2012), *In-vivo* antioxidant activity of *Premna corymbosa* (Rottl) against streptozotocin induced oxidative stress in wistar albino rats, *Journal of Applied Pharmaceutical Science*, 2, 10, 60-65.
- Shirwaikar, A., Rajendran, K and Barik, R. (2006), Effect of aqueous bark extract of *Garuga pinnata* Roxb in streptozotocin-nicotinamide induced Type-II Diabetes Mellitus, *Journal of Ethnopharmacology*, 107, 2, 285-90.
- Shrikumar, S and Ravi T.K. (2007), Approaches towards development of herbal drugs, *Pharmacognosy Reviews*, 2007, 1, 180-184.
- Shrinivasan, S and Karundevi, B. (2005), Comparative evaluation of hypoglycaemic activity of two medicinal plants in alloxan diabetic rats. *International Journal of Pharmacology*, 1, 3, 267-276.
- Siddhuraju, P and Becker, K. (2003), Antioxidant properties of various solvent extracts of total phenolic constituents from three different agroclimatic origins of drumstick tree (*Moringa oleifera* Lam) leaves, *Journal of Agricultural and Food Chemistry*, 51, 2144 –2155.
- Siddhuraju, P and Manian, S. (2007), The antioxidant activity and free radical scavenging capacity of dietary phenolic extracts from horse gram (*Macrotyloma uniflorum* (Lam) verdc) seeds, *Food Chemistry*, 105, 950-958.
- Singab, A.N.B., El-Beshbishy, H.A., Yonekawa, M., Nomura, T and Fukai, T. (2005), Hypoglycemic effect of Egyptian *Morus alba* root bark extract: effect on diabetes and lipid peroxidation of streptozotocin-induced diabetic rats, *Journal of Ethnopharmacology*, 100, 3, 333-338.
- Smitha, G.S.R., Jyoti, B.C and Chaithra, R.J. (2016), *In vitro* alpha- amylase inhibitory effect and antioxidant activity by peel and seed extracts of *Persea americana*, *World Journal of Pharmaceutical and Life Sciences*, 2, 3, 261-269.

- Snee, L.S., Nerurkar, V.R., Dooley, D.A., Efirid, J.T., Shovic, A.C and Nerurkar, P.V. (2011), Strategies to improve palatability and increase consumption intentions for *Momordica charantia* (bitter melon): a vegetable commonly used for diabetes management, *Nutrition Journal*, 10, 78.
- Soni, A and Sosa,S. (2013), Phytochemical analysis and free radical scavenging potential of herbal and medicinal plant extracts, *Journal of Pharmacognosy and Phytochemistry*, 2,4, 22-29.
- Sougata, G., Piyush,M., Abhishek,D., Ajay,B.P., Pramod,M., Adersh,A., Navanath, K., Mahemud,L.S., Boppana,R., Vaishali,S.S., Dilip,D.D., and Balu, A.C.(2014), Diosgenin from *Dioscorea bulbifera*: novel hit for treatment of Type II Diabetes Mellitus with inhibitory activity against α -amylase and α -glucosidase, *PLOS One*, 9,9, e106039.
- Sreejayan, N and Rao, M.N. (1996), Free radical scavenging activity of curcuminoids, *Arzneimittel-forschung*, 46, 2,169-71.
- Sreejayan, N and Rao, M.N.A. (1997), Nitric oxide scavenging by *curcuminoids*, *Journal of Pharmacy and Pharmaceutical Sciences*, 49, 1, 105-107.
- Srinivasan, K and Ramarao, P. (2007), Animal models in Type 2 Diabetes research: an overview, *Indian Journal of Medical Research*, 125, 451-472.
- Stanton,R.C.(2012),Glucose-6-phosphate dehydrogenase, NADPH and cell survival, *International Union of Biochemistry and Molecular biology Life* ,64,5,362–369.
- Stevens, P.E. (2012), Anaemia, diabetes and chronic kidney disease: Where are we now? *Journal of Renal Care*, 38, 1, 67-77.
- Subashini, M.S., Rajendran,P., Ashok.G and B.M. Kanthesh, (2015), TLC, FTIR and GCMS analysis of leaves of *Gymnema sylvestre* R.Br from Kolli Hills, Tamil Nadu, India, *International Journal of Current Microbiology and Applied Sciences*,4,7, 757-764.
- Sudha, P., Saikat, H., Fayaj,M.,Smita,Z., Hirekodathakallu,T and Ameeta, R.K.(2015), Gedunin and azadiradione: Human pancreatic alpha-amylase inhibiting limonoids from neem (*Azadirachta indica*) as antidiabetic agents, *PLOS ONE*, 10,10, e0140113.
- Sulekha, M., Satish, Y., Sunita, Y and Rajesh, K.N. (2009), Antioxidants: a review, *Journal of Chemical and Pharmaceutical Research*, 1, 1,102-104.
- Sumathy, A., Keerthana, G and Kalaivani, M.K. (2013), *In-vitro* alpha amylase inhibitory and anti-oxidant activities of ethanolic leaf extract of *Croton bonplandianum*, *Asian Journal of Pharmaceutical and Clinical Research*, 6, 4, 32-36.

- Sun, L., Fredrick, J.W., Gabriele N and Michael, J.G.(2016), 3 or 3'-Galloyl substitution plays an important role in association of catechins and theaflavins with porcine pancreatic α -amylase: The kinetics of inhibition of α -amylase by tea polyphenols, *Journal of Functional Foods*, 26, 144–156.
- Sundar, P and Madasamy, P. (2016), *In vitro* and *in vivo* α -amylase and α -glucosidase inhibiting activities of the protein extracts from two varieties of bitter gourd (*Momordica charantia* L), *BioMed Central Complementary and Alternative Medicine*, 16,1,185.
- Sushma, G.S., Archana, D. B., Madhulatha, C.H., Uday, K.K., Harathi, P., Siva Subramanian,N and Ramadevi,M. (2013), Preliminary phytochemical screening and HPTLC fingerprinting of leaf extracts of *Ficus nervosa Heyne ex Roth*, *Journal of Chemical and Pharmaceutical Research*, 5,3, 98-104.
- Svenyl, J.F., Yamamoto, H., Fujimoto, S and Kusuda, R. (1990), Lymphomyeloid cells susceptibility to erythrodermatitis of Carp and bacterial antigens, *Developmental and Comparative Immunology*, 14,185-220.
- Swathi,K.K.V., Chandrasekhar,K.B., Nazma,S.M and Mohasin,M. (2015), Evaluation of *in vitro* antidiabetic activity of *Areva lanata* whole plant extract, *Journal of Comprehensive Pharmacy*, 2,4,124-127.
- Syamsudin, S. (2010), Standardization of extract of *Leucaena leucocephala* (Imk)De Wit seeds by α -glucosidase inhibitor, *International Journal of Phytomedicine*, 2, 430-435.
- Tabatabaei-Malazy,O., Larijani, B and Abdollahi, M.(2012), A systematic review of *in vitro* studies conducted on effect of herbal products on secretion of insulin from langerhans islets, *Journal of Pharmacy and Pharmaceutical Sciences*, 15,3, 447–466.
- Taloubi, L.M., Rhouda, H., Belahcen, A., Smires, N., Thimou. A and Mdaghri, A.A. (2013), An overview of plants causing teratogenicity: fenugreek (*Trigonella foenum graecum*), *International Journal of Pharmaceutical Sciences and Research*, 4, 2, 516-519.
- Talukdar, N., Dutta, A.M and Karabi, D. (2016), Antioxidant, antimicrobial and inhibitory effect on α -amylase of ethyl acetate extracts from the bark of *Elaeocarpus ganitrus*, *Indo American Journal of Pharmaceutical Research*, 6, 11, 6926-6931.
- Talukder, E.U., Jannatul, A., Talha, B .E., Sayedul, I., Atiar, R and Robiul H.B. (2013), *In vitro* antioxidant potential of *Momordica charantia* fruit extracts, *British Journal of Pharmaceutical Research*, 3,4, 963-971.

- Thenmozhi,S and Rajan,S. (2015), Reactive oxygen and nitrogen species scavenging activity of *Psidium guajava* (l) leaf, *International Journal of Current Microbiology and Applied Sciences*, 4,1, 410-418.
- Thinkratok, A., Supkamonseni, N and Srisawat, R. (2014), Inhibitory potential of the Rambutan rind extract and tannin against alpha-amylase and alpha-glucosidase activities in vitro. *International Conference on Food, Biological and Medical Sciences*, Bangkok, 44-48.
- Thiyagarajan., Arivarasan, A and Pachaiappan, R. (2016) Extraction and isolation of flavonoid quercetin from the leaves of *Trigonella foenum-graecum* and their anti-oxidant activity, *International Journal of Pharmacy and Pharmaceutical Sciences*, 8, 6,120-124.
- Thomas L. (1998), *Clinical Laboratory Diagnostics*, First Edition, Frankfurt, T.H Books, Verlagsgesellschaft, 241-247.
- Thomas, G. (2007), *Medicinal Chemistry: an Introduction*, Second Edition, Wiley, Chichester, 127–129.
- Thomas, J.E., Bandara, M., Lee, E., Driedger, D and Acharya, S. (2011), Biochemical monitoring in fenugreek to develop functional food and medicinal plant variants, *New Biotechnology*, 110–117.
- Thomas, M. C. (2011), Advanced glycation end products, *Contributions to Nephrology*, 170, 66-74.
- Thomson, M., Zainab, M.A., Khaled, K. A., Lemia, H.S and Ali. M (2007), Antidiabetic and hypolipidaemic properties of garlic (*Allium sativum*) in streptozotocin-induced diabetic rats, *International Journal of Diabetes and Metabolism*, 15, 108-115.
- Tiwari, P., Bimlesh,K., Mandeep,K., Gurpreet,K and Harleen,K.(2011),Phytochemical screening and extraction: a review, *Internationale Pharmaceutica Scientia*, 1,1, 98-106.
- Torktaz, I., Mohamadhashem, F., Esmaeili, A., Behjati,M and Sharifzadeh,S. (2013), Virtual screening and pharmacophore design for a novel theoretical inhibitor of macrophage stimulating factor as a metastatic agent. *Bio Impacts*, 3,141-144.
- Trease, E.G and Evans, W.C. (1989), *Text book of Pharmacognosy*, 546.
- Tripathi, A.K., Bhojar, P.K., Baheti, J.R., Biyani, D.M., Khalique, M., Kothmire, M.S, Amgaonkar, Y.M and Bhanarkar, A.B. (2011), Herbal antidiabetics: a review, *International Journal of Research in Pharmaceutical Sciences*, 2, 1, 30- 37.

- Trojan-Rodrigues, M., Alves, T.L.S., Soares, G.L.G and Ritter, M.R. (2012), Plants used as antidiabetics in popular medicine in Rio Grande do Sul, Southern Brazil, *Journal of Ethnopharmacology*, 139, 1,155-63.
- Tundis, R., Loizzo, M.R and Menichini, F. (2010), Natural products as alpha-amylase and alpha-glucosidase inhibitors and their hypoglycaemic potential in the treatment of Diabetes: an update, *Mini-Reviews in Medicinal Chemistry*, 10, 4, 315-31.
- Twinkle, S. B., Amit, G and Salalkar B. K. (2016), *In silico* and *in vitro* assessment on antidiabetic efficacy of secondary metabolites from *Syzygium cumini* (L) skeel, *Plant Science Today*, 3, 4, 360-367.
- Ugochukwu, N.H and Babady, N.E. (2002), Antidiabetic effects of *Gongronema latifolium* in hepatocytes of rat models of non-insulin dependent Diabetes Mellitus. *Fitoterapia*, 73, 7-8, 612-618.
- Unnikrishnan, P.S., Suthindhiran, K and Jayasri, M. A. (2014), Inhibitory potential of *Turbinaria ornata* against key metabolic enzymes linked to Diabetes, *BioMed Research International*, 1-10.
- Vadivelan, R., Dipanjan, M., Umasankar. P., Dhanabal, S.P., Satishkumar, M.N., Antony, S and Elango, K. (2011), Hypoglycemic, antioxidant and hypolipidemic activity of *Asparagus racemosus* on streptozotocin-induced diabetic in rats, *Advances in Applied Science Research*, 2, 3,179-185.
- Vaidya, H.B., Ahmed, A.A., Goyal, R.K and Cheema, S.K. (2013), Glycogen phosphorylase-a, is a common target for antidiabetic effect of iridoid and secoiridoid glycosides, *Journal of Pharmacy and Pharmaceutical Sciences*, 16, 4, 530 – 540.
- Vaishali, T., Shrikrishna, S.S., Prashant, A.S and Onkar, C.S. (2017), Role of conventional oral antidiabetic drugs in management of Type 2 Diabetes Mellitus, *International Journal of Research in Medical Sciences*,5,3,749-758.
- Vasanthi,P., Manimekalai,G., Vasthi,K.E., Nirmala, A and Jagajothi, A.(2014), Phytochemical screening and antioxidant activity of extracts of the leaf and bark of *Albizia lebeck* (Benth), *Academia Journal of Medicinal Plants* 2, 2, 026-031.
- Vijayarajan, M and Pandian, R.M. (2016), Antioxidants and free radical scavenging activity of *Moringa concanensis* root bark extracts, *International Journal of Zoology and Applied Biosciences*, 1, 1, 46-56.
- Viswanathan, M., Siddharth, S and Banshi, S. (2013), Current glycemic status and diabetes related complications among Type 2 Diabetes patients in India: data from the A1chieve study, *Journal of the Associations of Physicians of India*, 61.

- Vozarova, B., Weyer, C., Lindsay, R.S., Pratley, R.E., Bogardus, C and Tataranni, P.A.(2002) , High white blood cell count is associated with a worsening of insulin sensitivity and predicts the development of Type 2 Diabetes, *Diabetes*, 51, 2, 455-61.
- Wadkar, K.A., Magdum, C.S., Patil, S.S and Naikwade, N.S. (2008), Antidiabetic potential and Indian medicinal plants, *Journal of Herbal Medicine and Toxicology*, 2, 45–50.
- Wang, B. S. Chen, J. H. Liang Y. C and Duh, P. D. (2005). Effects of welsh onion on oxidation of low density lipoprotein and nitric oxide production in macrophage cell line raw 264.7, *Food Chemistry*, 91, 1147-155.
- Warjeet, S.L. (2011), Traditional medicinal plants of Manipur as antidiabetics, *Journal of Medicinal Plants Research*, 5, 677-87.
- Whiting, D.R., Guariguata, L., Weil,C and Shaw,J.(2011), IDF Diabetes atlas: Global estimates of the prevalence of diabetes for 2011 and 2030, *Diabetes Research and Clinical Practice*, 94,3,311-21.
- Williams, D. H., Stephens, E., O'Brien, D. P. and Zhou, M. (2004), Understanding noncovalent interactions: Ligand binding energy and catalytic efficiency from ligand induced reductions in motion within receptors and enzymes, *Angewandte Chemie International Edition in English*, 43, 48, 6596-616.
- World Health Organization, (2016), Global report on diabetes.
- World Health Organization, (2003), Traditional Medicine.
- Wulan D, R., Edi, P.U and Chanif, M. (2014), Molecular modeling of *Ruellia tuberosa* L compounds as α -amylase inhibitor: an *in silico* comparison between human and rat enzyme model, *Bioinformation*, 10, 4, 209–215.
- Wulan,D.R., Edi,P.U and Chanif,M.(2015),Antidiabetic activity of *Ruellia tuberosa* L., role of α -amylase inhibitor: *in silico*, *in vitro*, and *in vivo* approaches, *Biochemistry Research International*, 2015, 1-9.
- Xie, J.T., Wang, C.Z., Li, X.L., Ni, M., Fishbein, A and Yuan, C.S. (2009), Antidiabetic effect of American ginseng may not be linked to antioxidant activity: comparison between American ginseng and *Scutellaria baicalensis* using an ob/ob mice model, *Fitoterapia*, 80,306-11.
- Yadao, N., Charles, L.P and Kokati, V. B. R. (2015), Carbohydrate hydrolyzing enzyme inhibitor property, antioxidant and phytochemical analysis of *Cassia auriculata*, *Delonix regia* and *Vinca rosea* Linn: an *in vitro* study, *Journal of Applied Pharmaceutical Science*, 5, 5, 18-27.

- Yaheya, M and Ismail, M. (2009), Clinical evaluation of antidiabetic activity of *Trigonella* seeds and *Aegle marmelos* leaves, *World Applied Sciences Journal*, 7 10, 1231-1234.
- Yakubu, M.T., Akanji, M.A and Oladiji, A.T. (2007), Haematological evaluation in male albino rats following chronic administration of aqueous extract of *Fadogia agrestis* stem, *Pharmacognosy Magazine*, 3,1, 34-38.
- Yang, W.J., Li, D.P., Li, J.K., Li, M.H., Chen, Y.L and Zhang, P.Z. (2009), Synergistic antioxidant activities of eight traditional Chinese herb pairs, *Biological and Pharmaceutical Bulletin*, 32 ,6,1021-6.
- Yanling, W., Yanping, D., Yoshimasa, T and Wen, Z. (2014), Risk factors contributing to Type 2 Diabetes and recent advances in the treatment and prevention, *International Journal of Medical Sciences*, 11, 11, 1185-1200.
- Yazdanparast R, Amin, A and Jamshidi, S. (2007), Experimental diabetes treated with *Achillea santolina*: effect on pancreatic oxidative parameters, *Journal of Ethnopharmacology*, 112, 1, 13-18.
- Yilmazer-Musa,M.,Anneke,M.G., Alexander,J.M., Erik,S and Balz,F.(2012), Inhibition of -amylase and -glucosidase activity by tea and grape seed extracts and their constituent catechins, *Journal of Agricultural and Food Chemistry*,60,36,8924–8929.
- Yin, D., Tao, J., Lee, D.D., Shen, J., Hara, M., Lopez, J., Kunetzov, A., Philipson, L.H and Chong, A.S. (2006), Recovery of islet beta-cell function in streptozotocin-induced diabetic mice: An indirect role for the spleen, *Diabetes*, 55, 3256-63.
- Young, E. E., Okafor, C.N and Okwara, C.C.(2016), Diabetes Mellitus, associated co-morbidities and complications - a review, *Journal of Medicine and Medical Sciences*,7,3, 47-55.
- Zeqollari, A., Spahiu, K., Vyshka, G and Cakerri, L. (2014), Lipid profile in Diabetes Mellitus Type 2 patients in Albania and the correlation with BMI, hypertension, and hepatosteatosis, *Journal of Family Medicine and Community Health*, 1,4,1018.
- Zhang, Q., Wang, J., Wang, F., Chen, X., He, Y., You, Q and Zhou, H. (2014), Identification of Type II inhibitors targeting BRAF using privileged pharmacophores, *Chemical Biology and Drug Design*, 83, 27-36.
- Zhishen, J., Mengcheng, T and Jianming, W. (1999), The determination of flavonoid contents in mulberry and their scavenging effects on superoxide radicals, *Food Chemistry*, 64, 555- 559.

Zhou, P., Huang, J and Tian, F. (2012), Specific non covalent interactions at protein-ligand interface: implications for rational drug design, *Current Medicinal Chemistry*, 19, 2, 226-238.

Zuraini, A., Khairul, F.Z., Azhar.Y., Chiong, H.S., Malarvili, S., Amin.I and Muhammad, N.H. (2012), *In vitro* antidiabetic activities and chemical analysis of polypeptide-k and oil isolated from seeds of *Momordica charantia* (Bitter Gourd), *Molecules*, 17,8, 9631-9640.

Website

[http: /www.pdb.org/pdb/home/home.do](http://www.pdb.org/pdb/home/home.do).

<https://www.dockingserver.com/web>.